



Interprocess Communication

[Interprocess Communication]

- What is IPC?
 - Mechanisms to transfer data between processes
- Why is it needed?
 - Not all important procedures can be easily built in a single process



[Interprocess Communication]

- Cooperating processes
 - Can affect or be affected by other processes, including sharing data
 - Just like cooperating threads!
 - Benefits
 - Information sharing
 - Computation speedup
 - Modularity
 - Convenience




[Interprocess Communication]

- Can you think of a common use of IPC?
- Can you think of any large applications that use IPC?




Google Chrome architecture (figure borrowed from Google)



- Separate processes for browser tabs to protect the overall application from bugs and glitches in the rendering engine
- Restricted access from each rendering engine process to others and to the rest of the system




Google Chrome architecture (figure borrowed from Google)



- A named pipe is allocated for each renderer process for communication with the browser process
- Pipes are used in asynchronous mode to ensure that neither end is blocked waiting for the other



IPC Communications Model



- Each process has a private address space
- No process can write to another process's space
- How can we get data from process A to process B?

[IPC Solutions]

- Two options
 - Support some form of shared address space
 - Shared memory, memory mapped files
 - Use OS mechanisms to transport data from one address space to another
 - Pipes, FIFOs
 - Messages, signals




[Shared Memory]

- Processes share the same segment of memory directly
 - Memory is mapped into the address space of each sharing process
 - Memory is persistent beyond the lifetime of the creating or modifying processes (until deleted)
- Mutual exclusion **must** be provided by processes using the shared memory




Shared Memory



- Processes request the segment
- OS maintains the segment
- Processes can attach/detach the segment

Shared Memory



- Can mark segment for deletion on last detach



POSIX Shared Memory

```
#include <sys/types.h>
#include <sys/shm.h>
```

- Create identifier (“key”) for a shared memory segment

```
key_t ftok(const char *pathname, int proj_id);
k = ftok("/my/file", 0xaa);
```

- Create shared memory segment

```
int shmget(key_t key, size_t size, int shmflg);
id = shmget(key, size, 0644 | IPC_CREAT);
```

- Access to shared memory requires an attach

```
void *shmat(int shmid, const void *shmaddr, int shmflg);
shared_memory = (char *) shmat(id, (void *) 0, 0);
```



[POSIX Shared Memory]

- Write to the shared memory using normal system calls

```
sprintf(shared_memory, "Writing to shared  
memory");
```

- Detach the shared memory from its address space

```
int shmdt(const void *shmaddr);  
shmdt(shared_memory);
```



Shared Memory example

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/types.h>
#include <sys/ipc.h>
#include <sys/shm.h>

#define SHM_SIZE 1024 /* a 1K shared memory segment */

int main(int argc, char *argv[]) {
    key_t key;
    int shmid;
    char *data;
    int mode;
```



Shared Memory example

```
/* make the key: */
if ((key = ftok("shmdemo.c", 'R')) == -1) {
    perror("ftok");
    exit(1);
}

/* connect to (and possibly create) the segment: */
if ((shmid = shmget(key, SHM_SIZE, 0644 | IPC_CREAT)) == -1) {
    perror("shmget");
    exit(1);
}

/* attach to the segment to get a pointer to it: */
data = shmat(shmid, (void *)0, 0);
if (data == (char *)(-1)) {
    perror("shmat");
    exit(1);
}
```



Shared Memory example

```
/* read or modify the segment, based on the command line: */
if (argc == 2) {
    printf("writing to segment: \"%s\"\n", argv[1]);
    strncpy(data, argv[1], SHM_SIZE);
} else
    printf("segment contains: \"%s\"\n", data);
```

```
/* detach from the segment: */
if (shmdt(data) == -1) {
    perror("shmdt");
    exit(1);
}
```

```
return 0;
```

```
}
```

Run demo



Memory Mapped Files

- Memory-mapped file I/O
 - Map a disk block to a page in memory
 - Allows file I/O to be treated as routine memory access
- Use
 - File is initially read using demand paging
 - When needed, a **page-sized** portion of the file is read from the file system into a **physical page of memory**
 - Subsequent reads/writes to/from that page are treated as ordinary memory accesses




Memory Mapped Files

- Traditional File I/O
 - Calls to file I/O functions (e.g., `read()` and `write()`)
 - First copy data to a kernel's intermediary buffer
 - Then transfer data to the physical file or the process
 - Intermediary buffering is slow and expensive
- Memory Mapping
 - Eliminate intermediary buffering
 - Significantly improve performance



Memory Mapped Files





Memory Mapped Files: Benefits

- Treats file I/O like memory access rather than `read()`, `write()` system calls
 - Simplifies file access; e.g., no need to `fseek()`
- Streamlining file access
 - Access a file mapped into a memory region via pointers
 - Same as accessing ordinary variables and objects
- Dynamic loading
 - Map executable files and shared libraries into address space
 - Programs can load and unload executable code sections dynamically



Memory Mapped Files: Benefits

- Several processes can map the same file
 - Allows pages in memory to be shared -- saves memory space
- Memory persistence
 - Enables processes to share memory sections that persist independently of the lifetime of a certain process



Enables IPC!



[POSIX Memory Mapping]

```
#include <sys/mman.h>
```

```
void *mmap(void *addr, size_t len, int prot,  
           int flags, int fd, off_t off);
```

- Memory map a file
 - Establish mapping from the address space of the process to the object represented by the file descriptor
- Parameters:
 - **addr**: the starting memory address into which to map the file
 - **len**: the length of the data to map into memory
 - **prot**: the kind of access to the memory mapped region
 - **flags**: flags that can be set for the system call
 - **fd**: file descriptor
 - **off**: the offset in the file to start mapping from




[POSIX Memory Mapping]

```
#include <sys/mman.h>
```

```
void *mmap(void *addr, size_t len, int prot,  
           int flags, int fd, off_t off);
```

- Memory map a file
 - Establish mapping from the address space of the process to the object represented by the file descriptor



POSIX Memory Mapping

```
#include <sys/mman.h>
```

```
void *mmap(void *addr, size_t len, int prot,  
           int flags, int fd, off_t off);
```


- Memory map a file
 - Establish a mapping between the address space of the process to the memory object represented by the file descriptor
- Return value: pointer to mapped region
 - On success, implementation-defined function of **addr** and **flags**.
 - On failure, sets `errno` and returns **MAP_FAILED**



[POSIX Memory Mapping]

```
#include <sys/mman.h>
void *mmap(void *addr, size_t len, int prot,
           int flags, int fd, off_t off);
```

- Memory map a file
 - Establish a mapping between the address space of the process to the memory object represented by the file descriptor



mmap options

■ Protection Flags

- **PROT_READ** Data can be read
- **PROT_WRITE** Data can be written
- **PROT_EXEC** Data can be executed
- **PROT_NONE** Data cannot be accessed

■ Flags

- **MAP_SHARED** Changes are shared.
- **MAP_PRIVATE** Changes are private.
- **MAP_FIXED** Interpret **addr** exactly



mmap Example

- Map first 4kb of file and read an integer

```
#include <errno.h>
#include <fcntl.h>
#include <sys/mman.h>
#include <sys/types.h>
int main(int argc, char *argv[]) {
    int fd;
    void *pregion;
```

```
    if (fd = open(argv[1], O_RDONLY) < 0) {
        perror("failed on open");
        return -1;
    }
```

```
    write(fd, "\0", 1); // make sure at least 1 page is mapped
```



mmap Example

```
pregion = mmap(NULL, 4096, PROT_READ,  
               MAP_SHARED, fd, 0);
```

```
if (pregion == MAP_FAILED) {  
    perror("mmap failed")  
    return -1;  
}
```

```
close(fd);          /* close the physical file */  
/* access mapped memory; read the first int in  
 * the mapped file */  
int val = *((int*) pregion);
```

```
}
```



munmap

```
#include <sys/mman.h>
```

```
int munmap(void *addr, size_t len);
```

- Remove a mapping
- Return value
 - 0 on success
 - -1 on error, sets `errno`
- Parameters:
 - `addr`: returned from `mmap()`
 - `len`: same as the `len` passed to `mmap()`



msync

```
#include <sys/mman.h>
```

```
int msync(void *addr, size_t len, int flags);
```

- Write all modified data to permanent storage locations
- Return value
 - 0 on success
 - -1 on error, sets **errno**
- Parameters:
 - **addr**: returned from **mmap()**
 - **len**: same as the **len** passed to **mmap()**
 - **flags**:
 - **MS_ASYNC** = Perform asynchronous writes
 - **MS_SYNC** = Perform synchronous writes
 - **MS_INVALIDATE** = Invalidate cached data



Example 2: Shared memory using `mmap`

```
#include <stdio.h>
#include <stdlib.h>
#include <errno.h>
#include <fcntl.h>
#include <string.h>
#include <sys/mman.h>
#include <sys/types.h>
```

```
int main(int argc, char** argv) {
    int    fd;
    char * shared_mem;
```

```
    fd = open(argv[1], O_RDWR | O_CREAT);
    write(fd, "\0", 1); // make sure at least 1 page is mapped
    shared_mem = mmap(NULL, 10, PROT_READ | PROT_WRITE,
                      MAP_SHARED, fd, 0);
    close(fd);
```



Example 2: Shared memory using `mmap`

Reader

```
if (!strcmp(argv[2], "read")) {  
    while (1) {  
        printf("%s\n", shared_mem);  
        sleep(1);  
    }  
}
```

Writer

```
else {    while (1)  
    scanf("%s\n", shared_mem);    }  
}
```



Recall POSIX Shared Mem...

```
#include <sys/shm.h>
```

```
int shmget(key_t key, size_t size, int  
shmflg);
```

- Create shared memory segment

```
id = shmget(key, size, 0644 | IPC_CREAT);
```

```
void *shmat(int shmid, const void  
*shmaddr, int shmflg);
```

- Access to shared memory requires an attach

```
shared_memory = (char *) shmat(id, (void  
*) 0, 0);
```




How do **mmap** and POSIX shared memory compare?

■ Persistence

- **shm** memory kept in memory
 - Remains available until system is shut down
- **mmap** backed by a file
 - Persists even after programs quit or machine reboots



Memory mapped files and virtual memory



It might be interesting to map a page-sized file ...



Memory mapped files and virtual memory

```
#include <unistd.h>
```

```
long sysconf(int name);
```

- Determine the current value of a configurable system variable
- Return value
 - 0 on success
 - -1 on error, sets **errno**
- Parameters:
 - **name**: the system variable to be queried
 - **_SC_PAGESIZE**



`sysconf`: Creating page-sized memory mapped segments

```
#include <errno.h>
#include <fcntl.h>
#include <unistd.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/types.h>
#include <sys/mman.h>
main(void) {
    size_t bytesWritten = 0;
    int fd;
    int PageSize;
    const char text = "This is a test";
```



[Example]

```
if ((PageSize = sysconf(_SC_PAGE_SIZE)) < 0) {
    perror("sysconf() Error=");
    return -1;
}
fd = open("/tmp/mmsyncTest", (O_CREAT | O_TRUNC |
    O_RDWR), (S_IRWXU | S_IRWXG | S_IRWXO));
if (fd < 0) {
    perror("open() error");
    return fd;
}
off_t lastoffset = lseek(fd, PageSize, SEEK_SET);
bytesWritten = write(fd, "x", 1 );
if (bytesWritten != 1 ) {
    perror("write error. ");
    return -1;
}
```



[More Examples]

```
/* mmap the file. */
void *address;
int len;
off_t my_offset = 0;
len = PageSize;

/* Map one page */
address = mmap(NULL, len, PROT_WRITE, MAP_SHARED, fd,
              my_offset);

if (address == MAP_FAILED) {
    perror("mmap error.");
    return -1;
}
```



[More Examples]

```
/* Move some data into the file using memory map. */
(void) strcpy((char*) address, text);

/* use msync to write changes to disk. */
if (msync(address, PageSize , MS_SYNC) < 0 ) {
    perror("msync failed with error:");
    return -1;
} else
    (void) printf("%s", "msync completed successfully.");

close(fd);
unlink("/tmp/msyncTest");
}
```

Run demo



[Illegal Memory Access]

- Use signals!
 - **SIGSEGV** signal allows you to catch references to memory that have the wrong protection mode
- Coming soon... signals!

