

CS241 Systems Programming

Discussion Section Week 2

Original slides by: Stephen
Kleber

Today's Topic

- SMP0 problems
- Topics needed for SMP1
 - Process
 - Fork
 - Wait
 - Exec

About SMP0


- Part 2, Task 5
 - `overlay_overlay(char *s1, char *s2, char *s3, char *s4)`
- Part 3
 - `triple_three_step_step_step(char *first, char *second, char *third)`
 - `the_end(void *orange, void *blue)`

About SMP0 (contd.)

- `overlay_overlay(char *s1, char *s2, char *s3, char *s4)`
 - Find the overlay between `s1` and `s2 = o1`
 - Find the overlay between `s3` and `s4 = o2`
 - Find the overlay between `o1` and `o2 = result`
- How to find the overlay between “father” and “mother”?
 - Possible approach: generate all possible combination of “mother”
 - `strstr()` with “father” to find the largest match


About SMP0 (contd.)

```
void triple_three_step_step_step(char *first, char
*second, char *third) {
if (third == second+2 && second == first+2 &&
*third == *second+4 && *second == *first+4 &&
third[3] == second[2]+8 &&
second[2] == first[1]+8)
printf("10: Illinois\n");
}
```




About SMP0 (contd.)

```
void triple_three_step_step_step(char *first, char
*second, char *third) {
if (third == second+2 && second == first+2 &&
*third == *second+4 && *second == *first+4 &&
third[3] == second[2]+8 &&
second[2] == first[1]+8)
printf("10: Illinois\n");
}
```




About SMP0 (contd.)

```
void triple_three_step_step_step(char *first, char
*second, char *third) {
if (third == second+2 && second == first+2 &&
*third == *second+4 && *second == *first+4 &&
third[3] == second[2]+8 &&
second[2] == first[1]+8)
printf("10: Illinois\n");
}
```




About SMP0 (contd.)

```
void triple_three_step_step_step(char *first, char
*second, char *third) {
if (third == second+2 && second == first+2 &&
*third == *second+4 && *second == *first+4 &&
third[3] == second[2]+8 &&
second[2] == first[1]+8)
printf("10: Illinois\n");
}
```




About SMP0 (contd.)

```
void the_end(void *orange, void *blue){  
if (orange != NULL && orange == blue  
    && ((char *)blue)[0] == 1  
    && *((int *)orange) % 3 == 0)  
    printf("12: Illinois\n");  
}
```



About SMP0 (contd.)

```
void the_end(void *orange, void *blue){  
if (orange != NULL && orange == blue  
    && ((char *)blue)[0] == 1  
    && *((int *)orange) % 3 == 0)  
    printf("12: Illinois\n");  
}
```



SMP1

- Simple Unix shell
- Non built-in commands
- Built-in commands
 - Change Directory
 - Termination
 - History
- Error handling
- Concepts needed: process, fork, exec, wait

Processes

A process is an instance of a running program

A process contains:

Instructions (i.e. the program)


Resources (variables, buffers, links, etc.)

State (identity, ready/running/locked, etc.)

Processes can create other processes

Process Creation with fork()

fork() creates a new process:



- The new (child) process is identical to the old (parent) process, except...

Differences between parent and child

Process ID (getpid())

Parent ID (getppid())

Return value of fork()

In parent, fork() returns child pid

In child, fork() returns 0

fork() Example 1

What does this do?

```
fprintf(stdout, "%d\n", fork());
```

Try it!

fork() example 2

```
#include <stdio.h>
#include <sys/types.h>
#include <unistd.h>

int main(int argc, char** argv) {
    pid_t child_pid = fork();
    if (child_pid < 0) { // error code
        perror("Fork Failed");
        return -1;
    }
    fprintf(stdout, "I am process %d\n", getpid());
    if (child_pid == 0) { // child code
        fprintf(stdout, "I'm the child process.\n");
    } else { // parent code
        fprintf(stdout, "I'm the parent of child process %d.\n",
            child_pid);
    }
    return 0;
}
```

Example 2 cont'd

This exits too quickly; let's slow it down:

```
if (child_pid == 0) {    // child code
    sleep(15);
    fprintf(stdout, "I'm the child process.\n");
} else {                // parent code
    sleep(20);
    fprintf(stdout, "I'm the parent of child process %d.\n",
              child_pid);
}
```

Example 2 cont'd

In a second window, run `ps -a`, and look for the pids from the program output.

Periodically run `ps -a` again, as the program in the first window executes.

What happens when the program runs?

What happens when the child finishes?

What happens when the parent finishes?

What happens when you switch the parent and child sleep statements?

Orphans and Zombies



When a process finishes, it becomes a *zombie* until its parent cleans up after it.

If its parent finishes first, the process becomes an *orphan*, and the `init` process (id 1) adopts it.

How can a parent know when its children are done?

Solution: wait(...)

`wait()` allows a parent to wait for its child process, and save its return value

```
pid= wait(&status , options);  
pid= waitpid(pid , &status ,options);
```

`wait()` waits for any child; `waitpid()` waits for a specific child.

wait cont'd

`wait()` blocks until child finishes

`wait()` does not block if the option `WNOHANG` is included. When would we want to use this?

The child's return value is stored in `*status`

wait(...) macros

`WIFEXITED(status)` is true iff the process terminated normally.


`WEXITSTATUS(status)` gives the last 8 bits of the process's return value (assuming normal exit)

Example 3: wait

```
#include <sys/wait.h>  
...  
  
// add this to parent code  
if (waitpid(child_pid, &result, 0) == -1) {  
    perror("Wait failed");  
    return -1;  
}  
if( WIFEXITED(result)) {  
    fprintf(stdout, "child %d returned %d\n",  
           child_pid, WEXITSTATUS(result));  
}
```

exec

exec replaces the current process image(code, variables, etc.) with that of a new program:



exec variations

There are 6 different ways of calling exec.

Which one to use depends on three conditions:

1. How arguments are passed
2. How the path is specified
3. Whether a new environment is used

exec variations: passing parameters

exec can have parameters passed to it two different ways:

List of parameters:

```
execl("/usr/bin/ls", "ls", "-l", NULL);
```

Argument Vector (like argv):

```
execv(argv[1], argv+1);
```

Q: When would you use execl?

When would you use execv?

exec variations: command path

Adding a "p" to an exec call tells the system to look for the command in the environment's path.

Compare:

```
▪ execl("/usr/bin/ls", "ls", "-l", NULL);
```

```
▪ execlp("ls", "ls", "-l", NULL);
```

The difference is similar for execv and execvp.

exec variations (cont'd)

By default, the new program inherits the old program's environment. Adding an "e" to the `exec` call allows the new program to run with a new environment `**environ`

`execve` and `execle` allow the user to specify the environment. The others inherit the old environment.

fork + exec

If `exec` succeeds, it does not return, as it overwrites the program.

No checking return values, executing multiple commands, monitoring results, etc.

Solution: fork a new process, and have the child run `exec`

Example 4: exec

```
int main() {
    char command[10];
    while(fscanf(stdin, "%s", command)) {
        pid_t child_pid = fork();
        if (child_pid < 0) {
            perror("Fork failed");
            return -1;
        } else if (child_pid == 0) {
            // child code
            // execute command
            // check errors
        } else {
            // parent code
            // What belongs here?
        }
    }
    return 0;
}
```