

Which exam room to go to based on your discussion section.

| ECEB 1002 | SC 1404 | DCL 1320 | ECEB 1013 | ECEB 1015 |
|---|--|---|---|-------------------|
| AYA 9am Yipu AYB 10am Xilin AYC 11am Xilin AYD noon Mitch AYE 1pm Ravi AYJ 1pm Shant | AYF 2pm Konstantinos AYG 3pm Robert BYE 3pm Jiaming | AYH 4pm Robert AYK 2pm Shant BYA 9am Zhongyi BYC 1pm Shu | BYB 10am Zhongyi BYF 4pm Jiaming | BYD 2pm Shu |

| |
|--------|
| Name: |
| NetID: |

⇐ Please PRINT

- **Don't panic!**
- Please print your name, print your NetID, and circle your discussion section in the boxes above.
- There are five questions – you should answer all of them.
- If you brought anything except your writing implements, your double-sided **handwritten** (in the original) 8½" × 11" cheat sheet, and your university ID, please put it away for the duration of the exam. In particular, please turn off and put away *all* medically unnecessary electronic devices.
 - Submit your cheat sheet together with your exam. We will not return or scan the cheat sheets, so photocopy them before the exam if you want a copy.
 - If you are NOT using a cheat sheet, please indicate so in large friendly letters on this page.
- Please read all the questions before starting to answer them. Please ask for clarification if any question is unclear.
- **This exam lasts 120 minutes.** The clock started when you got the exam.
- If you run out of space for an answer, feel free to use the blank pages at the back of this booklet, but please tell us where to look.
- As usual, answering any (sub)problem with “I don't know” (and nothing else) is worth 25% partial credit. Correct, complete, but **slightly** sub-optimal solutions are *always* worth more than 25%. Solutions that are exponentially (or significantly) slower than the expected solution would get no points at all. A blank answer is not the same as “I don't know”.
- Total IDK points for the whole exam would not exceed 10.
- Give complete solutions, not examples. Declare all your variables. If you don't know the answer admit it and use IDK. Write short concise answers.
- **Style counts.** Please use the backs of the pages or the blank pages at the end for scratch work, so that your actual answers are clear.
- Please return **all** paper with your answer booklet: your question sheet, your cheat sheet, and all scratch paper.
- **Good luck!**

1 (20 PTS.) Short questions.

1.A. (10 PTS.) Give an asymptotically tight solution to the following recurrence, where $T(n) = O(1)$ for $n < 10$, and otherwise:

$$T(n) = T(2n/3) + T(n/2) + O(n^2).$$

1.B. (10 PTS.) Given a directed graph G , describe a linear time algorithm that decides if there are three distinct vertices x, y, z , such that (i) there is a path from x to y in G , (ii) there is a path from y to z in G , and (iii) there is a path from z to x in G .

2 (20 PTS.) Given a directed graph $G = (V, E)$ with positive edge lengths. Let $\ell(u, v)$ be the length of edge $(u, v) \in E$, and let $d(u, v)$ be the length of the shortest path from u to v in G . Given two nodes s and t , there might be many different paths that realize the shortest path between s and t , and let Π be the set of all such paths. A vertex is *useful* if it lies on any path of Π . Describe how to compute, as fast as possible, all the useful vertices in G (given s and t). What is the running time of your algorithm.

3 (20 PTS.) Suppose you are given a sorted array of n distinct numbers that has been rotated right by k steps, for some *unknown* integer k between 1 and $n - 1$. That is, you are given an array $A[1..n]$ such that some prefix $A[1..k]$ is sorted in increasing order, the corresponding suffix $A[k + 1..n]$ is also sorted in increasing order, and $A[n] < A[1]$.

For example, the below array with $n = 10$ has been rotated by $k = 7$.

| | | | | | | | | | |
|----|----|-----|-----|-----|-----|-----|---|---|----|
| 35 | 65 | 108 | 197 | 303 | 499 | 833 | 3 | 4 | 19 |
|----|----|-----|-----|-----|-----|-----|---|---|----|

Given a number x , describe an algorithm, as fast as possible, that decides if x appears somewhere in the A . What is the running time of your algorithm? Argue that your algorithm is correct.

4 (20 PTS.) We are given a sequence of n numbers $A[1], \dots, A[n]$, and integers g and ℓ with $\ell \geq n/g$. We want to choose a subsequence $A[i_1], \dots, A[i_\ell]$ of length ℓ , such that $i_1 = 1$, $i_\ell = n$, and $1 \leq i_{j+1} - i_j \leq g$ for all $j = 1, \dots, \ell - 1$, while minimizing the sum $A[i_1] + \dots + A[i_\ell]$.

Example: for the input sequence 0, 4, 3, 1, 11, 8, 5, 2 and $g = 3$ and $\ell = 5$, we could pick $0 + 1 + 8 + 5 + 2 = 15$, but the optimal solution has sum $0 + 3 + 1 + 5 + 2 = 11$.

Describe an algorithm, as fast as possible, to compute the optimal sum, by using dynamic programming. (You do not need to output the optimal subsequence.) Give a clear English description of the function you are trying to evaluate, and how to call your function to get the final answer, then provide a recursive formula for evaluating the function (including base cases). If a correct evaluation order is specified clearly, pseudocode is not required. Analyze the running time as a function of n , g , and ℓ .

NETID:

NAME:

5 (20 PTS.) You are given a directed graph G with n vertices and m edges ($m \geq n$), where each edge e has an integer weight $w(e)$ (which could be positive or negative) and each vertex is marked “red” or “blue”. You are also given a (small) positive integer b .

Describe an algorithm, as fast as possible, to find a walk with the smallest total weight, such that the start vertex is red, the end vertex is red, and the number of blue vertices is divisible by b (with no restrictions on the number of red vertices). Your solution should involve constructing a new graph and applying a known algorithm on this graph. Analyze the running time as a function of n , m , and b .