

CS/ECE 374 B — Fall 2019

Homework 7

Due Tuesday, November 12 at 8 p.m.

1. (a) Suppose that you have a graph $G = (V, E)$ where each node is labeled with a digit; i.e., there is a function $\text{label} : V \rightarrow \{0, \dots, 9\}$. Design an efficient algorithm that, given two nodes, $s, t \in V$, decides whether there is a path from s to t in which the node labels follow the pattern 374374... I.e., if the path is $s = v_0 \rightarrow v_1 \rightarrow \dots \rightarrow v_n = t$, then the label of v_i is 3 if $i \bmod 3 \equiv 0$, 7 if $i \bmod 3 \equiv 1$, and 4 if $i \bmod 3 \equiv 2$.
- (b) Suppose now that the labels are on edges instead of vertices; i.e., $\text{label} : E \rightarrow \{0, \dots, 9\}$. Design an algorithm that reduces this problem to the previous part, i.e., calls the previous part as a subroutine.
- (c) Going back to vertex labels, design an algorithm to see if there is a path from s to t where the sequence of vertex labels matches a regular expression r (over the alphabet $\{0, \dots, 9\}$).
2. Solve problem 11 in Chapter 6 of the textbook (both parts)
3. Solve problem 15 in Chapter 6 of the textbook.

Solved Problem

4. Professor McClane takes you out to a lake and hands you three empty jars. Each jar holds a positive integer number of gallons; the capacities of the three jars may or may not be different. The professor then demands that you put exactly k gallons of water into one of the jars (which one doesn't matter), for some integer k , using only the following operations:
 - (a) Fill a jar with water from the lake until the jar is full.
 - (b) Empty a jar of water by pouring water into the lake.
 - (c) Pour water from one jar to another, until either the first jar is empty or the second jar is full, whichever happens first.

For example, suppose your jars hold 6, 10, and 15 gallons. Then you can put 13 gallons of water into the third jar in six steps:

- Fill the third jar from the lake.
- Fill the first jar from the third jar. (Now the third jar holds 9 gallons.)
- Empty the first jar into the lake.
- Fill the second jar from the lake.

- Fill the first jar from the second jar. (Now the second jar holds 4 gallons.)
- Empty the second jar into the third jar.

Describe and analyze an efficient algorithm that either finds the smallest number of operations that leave exactly k gallons in any jar, or reports correctly that obtaining exactly k gallons of water is impossible. Your input consists of the capacities of the three jars and the positive integer k . For example, given the four numbers 6, 10, 15 and 13 as input, your algorithm should return the number 6 (for the sequence of operations listed above).

Solution: Let A, B, C denote the capacities of the three jars. We reduce the problem to breadth-first search in the following directed graph:

- $V = \{(a, b, c) \mid 0 \leq a \leq A \text{ and } 0 \leq b \leq B \text{ and } 0 \leq c \leq C\}$. Each vertex corresponds to a possible **configuration** of water in the three jars. There are $(A+1)(B+1)(C+1) = O(ABC)$ vertices altogether.
- The graph has a directed edge $(a, b, c) \rightarrow (a', b', c')$ whenever it is possible to move from the first configuration to the second in one step. Specifically, there is an edge from (a, b, c) to each of the following vertices (except those already equal to (a, b, c)):
 - $(0, b, c)$ and $(a, 0, c)$ and $(a, b, 0)$ — dumping a jar into the lake
 - (A, b, c) and (a, B, c) and (a, b, C) — filling a jar from the lake
 - $\begin{cases} (0, a+b, c) & \text{if } a+b \leq B \\ (a+b-B, B, c) & \text{if } a+b \geq B \end{cases}$ — pouring from the first jar into the second
 - $\begin{cases} (0, b, a+c) & \text{if } a+c \leq C \\ (a+c-C, b, C) & \text{if } a+c \geq C \end{cases}$ — pouring from the first jar into the third
 - $\begin{cases} (a+b, 0, c) & \text{if } a+b \leq A \\ (A, a+b-A, c) & \text{if } a+b \geq A \end{cases}$ — pouring from the second jar into the first
 - $\begin{cases} (a, 0, b+c) & \text{if } b+c \leq C \\ (a, b+c-C, C) & \text{if } b+c \geq C \end{cases}$ — pouring from the second jar into the third
 - $\begin{cases} (a+c, b, 0) & \text{if } a+c \leq A \\ (A, b, a+c-A) & \text{if } a+c \geq A \end{cases}$ — pouring from the third jar into the first
 - $\begin{cases} (a, b+c, 0) & \text{if } b+c \leq B \\ (a, B, b+c-B) & \text{if } b+c \geq B \end{cases}$ — pouring from the third jar into the second

Since each vertex has at most 12 outgoing edges, there are at most $12(A+1) \times (B+1)(C+1) = O(ABC)$ edges altogether.

To solve the jars problem, we need to find the **shortest path** in G from the start vertex $(0, 0, 0)$ to any target vertex of the form (k, \cdot, \cdot) or (\cdot, k, \cdot) or (\cdot, \cdot, k) . We can compute this shortest path by calling **breadth-first search** starting at $(0, 0, 0)$, and then examining every target vertex by brute force. If BFS does not visit any target vertex, we report that no legal sequence of moves exists. Otherwise, we find the target vertex closest to $(0, 0, 0)$ and trace its parent pointers back to $(0, 0, 0)$ to determine the shortest sequence of moves. The resulting algorithm runs in $O(V + E) = O(ABC)$ time.

We can make this algorithm faster by observing that every move either leaves at least one jar empty or leaves at least one jar full. Thus, we only need vertices (a, b, c) where either $a = 0$ or $b = 0$ or $c = 0$ or $a = A$ or $b = B$ or $c = C$; no other vertices are reachable from $(0, 0, 0)$. The number of non-redundant vertices and edges is $O(AB + BC + AC)$. Thus, if we only construct and search the relevant portion of G , the algorithm runs in $O(AB + BC + AC)$ time. ■

Rubric (for graph reduction problems): 10 points:

- 2 for correct vertices
- 2 for correct edges
 - ½ for forgetting “directed”
- 2 for stating the correct problem (shortest paths)
 - “Breadth-first search” is not a problem; it’s an algorithm.
- 2 points for correctly applying the correct algorithm (breadth-first search)
 - 1 for using Dijkstra instead of BFS
- 2 points for time analysis in terms of the input parameters.
- Max 8 points for $O(ABC)$ time; scale partial credit