

## Shortest Paths with Negative Lengths and DP

Lecture 18

April 1, 2021

# Part I


## **Shortest Paths with Negative Length Edges**

# Single-Source Shortest Paths with Negative Edge Lengths

## Single-Source Shortest Path Problems

**Input:** A *directed* graph  $G = (V, E)$  with arbitrary (including negative) edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.




# Single-Source Shortest Paths with Negative Edge Lengths


## Single-Source Shortest Path Problems

**Input:** A *directed* graph  $G = (V, E)$  with arbitrary (including negative) edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.



# What are the distances computed by Dijkstra's algorithm?




The distance as computed by Dijkstra algorithm starting from  $s$ :

- (A)  $s = 0, x = 5, y = 1, z = 0.$
- (B)  $s = 0, x = 1, y = 2, z = 5.$
- (C)  $s = 0, x = 5, y = 1, z = 2.$
- (D) IDK.



# Dijkstra's Algorithm and Negative Lengths

With negative length edges, Dijkstra's algorithm can fail





# Dijkstra's Algorithm and Negative Lengths

With negative length edges, Dijkstra's algorithm can fail



# Dijkstra's Algorithm and Negative Lengths



With negative length edges, Dijkstra's algorithm can fail







# Dijkstra's Algorithm and Negative Lengths

With negative length edges, Dijkstra's algorithm can fail





# Dijkstra's Algorithm and Negative Lengths

With negative length edges, Dijkstra's algorithm can fail







# Dijkstra's Algorithm and Negative Lengths

With negative length edges, Dijkstra's algorithm can fail



# Dijkstra's Algorithm and Negative Lengths

With negative length edges, Dijkstra's algorithm can fail






# Negative Length Cycles

## Definition


A cycle  $C$  is a negative length cycle if the sum of the edge lengths of  $C$  is negative.



# Negative Length Cycles

## Definition

A cycle  $C$  is a negative length cycle if the sum of the edge lengths of  $C$  is negative.



- 2

# Shortest Paths and Negative Cycles


Given  $G = (V, E)$  with edge lengths and  $s, t$ . Suppose

- 1  $G$  has a negative length cycle  $C$ , and
- 2  $s$  can reach  $C$  and  $C$  can reach  $t$ .

**Question:** What is the shortest **distance** from  $s$  to  $t$ ?

Possible answers: Define shortest distance to be:

- 1 undefined, that is  $-\infty$ , OR
- 2 the length of a shortest **simple** path from  $s$  to  $t$ .





# Shortest Paths and Negative Cycles

Given  $G = (V, E)$  with edge lengths and  $s, t$ . Suppose

- 1  $G$  has a negative length cycle  $C$ , and
- 2  $s$  can reach  $C$  and  $C$  can reach  $t$ .

**Question:** What is the shortest **distance** from  $s$  to  $t$ ?

Possible answers: Define shortest distance to be:

- 1 undefined, that is  $-\infty$ , OR
- 2 the length of a shortest **simple** path from  $s$  to  $t$ .

## Lemma

*If there is an efficient algorithm to find a shortest simple  $s \rightarrow t$  path in a graph with negative edge lengths, then there is an efficient algorithm to find the longest simple  $s \rightarrow t$  path in a graph with positive edge lengths.*

Finding the  $s \rightarrow t$  longest path is difficult. **NP-Hard!**

# Alternatively: Finding Shortest Walks

Given a graph  $G = (V, E)$ :

- 1 A **path** is a sequence of *distinct* vertices  $v_1, v_2, \dots, v_k$  such that  $(v_i, v_{i+1}) \in E$  for  $1 \leq i \leq k - 1$ .
- 2 A **walk** is a sequence of vertices  $v_1, v_2, \dots, v_k$  such that  $(v_i, v_{i+1}) \in E$  for  $1 \leq i \leq k - 1$ . Vertices are allowed to repeat.

Define  $\text{dist}(u, v)$  to be the length of a shortest walk from  $u$  to  $v$ .

- 1 If there is a walk from  $u$  to  $v$  that contains negative length cycle then  $\text{dist}(u, v) = -\infty$
- 2 Else there is a path with at most  $n - 1$  edges whose length is equal to the length of a shortest walk and  $\text{dist}(u, v)$  is finite

Helpful to think about walks

# Shortest Paths with Negative Edge Lengths


## Problems

### Algorithmic Problems

**Input:** A directed graph  $G = (V, E)$  with edge lengths (could be negative). For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.


### Questions:

- 1 Given nodes  $s, t$ , either find a negative length cycle  $C$  that  $s$  can reach or find a shortest path from  $s$  to  $t$ .
- 2 Given node  $s$ , either find a negative length cycle  $C$  that  $s$  can reach or find shortest path distances from  $s$  to all reachable nodes.
- 3 Check if  $G$  has a negative length cycle or not.



# Shortest Paths with Negative Edge Lengths

## In Undirected Graphs



**Note:** With negative lengths, shortest path problems and negative cycle detection in undirected graphs cannot be reduced to directed graphs by bi-directing each undirected edge. Why?

Problem can be solved efficiently in undirected graphs but algorithms are different and more involved than those for directed graphs. Beyond the scope of this class. If interested, ask instructor for references.

# Why Negative Lengths?

## Several Applications

- 1 Shortest path problems useful in modeling many situations — in some negative lengths are natural
- 2 Negative length cycle can be used to find arbitrage opportunities in currency trading
- 3 Important sub-routine in algorithms for more general problem: minimum-cost flow

# Negative cycles

## Application to Currency Trading

### Currency Trading

**Input:**  $n$  currencies and for each ordered pair  $(a, b)$  the *exchange rate* for converting one unit of  $a$  into one unit of  $b$ .

**Questions:**

- 1 Is there an arbitrage opportunity?
- 2 Given currencies  $s, t$  what is the best way to convert  $s$  to  $t$  (perhaps via other intermediate currencies)?

Concrete example:

- 1 1 Chinese Yuan = 0.1116 Euro
- 2 1 Euro = 1.3617 US dollar
- 3 1 US Dollar = 7.1 Chinese Yuan.

Thus, if exchanging  $1 \$ \rightarrow$   
Yuan  $\rightarrow$  Euro  $\rightarrow$  \$, we get:  
 $0.1116 * 1.3617 * 7.1 =$   
 $1.07896\$$ .

# Reducing Currency Trading to Shortest Paths

**Observation:** If we convert currency  $i$  to  $j$  via intermediate currencies  $k_1, k_2, \dots, k_h$  then one unit of  $i$  yields  $\text{exch}(i, k_1) \times \text{exch}(k_1, k_2) \dots \times \text{exch}(k_h, j)$  units of  $j$ .



# Reducing Currency Trading to Shortest Paths

**Observation:** If we convert currency  $i$  to  $j$  via intermediate currencies  $k_1, k_2, \dots, k_h$  then one unit of  $i$  yields  $\text{exch}(i, k_1) \times \text{exch}(k_1, k_2) \dots \times \text{exch}(k_h, j)$  units of  $j$ .

Create currency trading *directed* graph  $G = (V, E)$ :

- 1 For each currency  $i$  there is a node  $v_i \in V$
- 2  $E = V \times V$ : an edge for each pair of currencies
- 3 edge length  $\ell(v_i, v_j) =$

# Reducing Currency Trading to Shortest Paths

**Observation:** If we convert currency  $i$  to  $j$  via intermediate currencies  $k_1, k_2, \dots, k_h$  then one unit of  $i$  yields  $\text{exch}(i, k_1) \times \text{exch}(k_1, k_2) \dots \times \text{exch}(k_h, j)$  units of  $j$ .

Create currency trading *directed* graph  $G = (V, E)$ :

- 1 For each currency  $i$  there is a node  $v_i \in V$
- 2  $E = V \times V$ : an edge for each pair of currencies
- 3 edge length  $\ell(v_i, v_j) = -\log(\text{exch}(i, j))$  can be negative

# Reducing Currency Trading to Shortest Paths

**Observation:** If we convert currency  $i$  to  $j$  via intermediate currencies  $k_1, k_2, \dots, k_h$  then one unit of  $i$  yields  $\text{exch}(i, k_1) \times \text{exch}(k_1, k_2) \dots \times \text{exch}(k_h, j)$  units of  $j$ .

Create currency trading *directed* graph  $G = (V, E)$ :

- 1 For each currency  $i$  there is a node  $v_i \in V$
- 2  $E = V \times V$ : an edge for each pair of currencies
- 3 edge length  $\ell(v_i, v_j) = -\log(\text{exch}(i, j))$  can be negative

**Exercise:** Verify that

- 1 There is an arbitrage opportunity if and only if  $G$  has a negative length cycle.
- 2 The best way to convert currency  $i$  to currency  $j$  is via a shortest path in  $G$  from  $i$  to  $j$ . If  $d$  is the distance from  $i$  to  $j$

# Reducing Currency Trading to Shortest Paths

Math recall - relevant information

- 1  $\log(\alpha_1 * \alpha_2 * \dots * \alpha_k) = \log \alpha_1 + \log \alpha_2 + \dots + \log \alpha_k.$
- 2  $\log x > 0$  if and only if  $x > 1$  .

# Shortest Paths with Negative Lengths

## Lemma

Let  $G$  be a directed graph with arbitrary edge lengths. If  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k$  is a shortest path from  $s$  to  $v_k$  then for  $1 \leq i < k$ :

- 1  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_i$  is a shortest path from  $s$  to  $v_i$

# Shortest Paths with Negative Lengths

## Lemma

Let  $G$  be a directed graph with arbitrary edge lengths. If  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k$  is a shortest path from  $s$  to  $v_k$  then for  $1 \leq i < k$ :

- ①  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_i$  is a shortest path from  $s$  to  $v_i$
- ② *False:  $\text{dist}(s, v_i) \leq \text{dist}(s, v_k)$  for  $1 \leq i < k$ . Holds true only for non-negative edge lengths.*


# Shortest Paths with Negative Lengths

## Lemma

Let  $G$  be a directed graph with arbitrary edge lengths. If  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k$  is a shortest path from  $s$  to  $v_k$  then for  $1 \leq i < k$ :

- 1  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_i$  is a shortest path from  $s$  to  $v_i$
- 2 *False:  $\text{dist}(s, v_i) \leq \text{dist}(s, v_k)$  for  $1 \leq i < k$ . Holds true only for non-negative edge lengths.*

Cannot explore nodes in increasing order of distance! We need other strategies.



# Shortest Paths and Recursion

- 1 Compute the shortest path distance from  $s$  to  $t$  recursively?
- 2 What are the smaller sub-problems?




# Shortest Paths and Recursion

- 1 Compute the shortest path distance from  $s$  to  $t$  recursively?
- 2 What are the smaller sub-problems?

## Lemma

Let  $G$  be a directed graph with arbitrary edge lengths. If  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k$  is a shortest path from  $s$  to  $v_k$  then for  $1 \leq i < k$ :

- 1  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_i$  is a shortest path from  $s$  to  $v_i$



# Shortest Paths and Recursion

- 1 Compute the shortest path distance from  $s$  to  $t$  recursively?
- 2 What are the smaller sub-problems?

## Lemma

Let  $G$  be a directed graph with arbitrary edge lengths. If  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k$  is a shortest path from  $s$  to  $v_k$  then for  $1 \leq i < k$ :

- 1  $s = v_0 \rightarrow v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_i$  is a shortest path from  $s$  to  $v_i$

Sub-problem idea: paths of fewer hops/edges

# Hop-based Recursion: Bellman-Ford Algorithm

Single-source problem: fix source  $s$ .

Assume that all nodes can be reached by  $s$  in  $G$

Assume  $G$  has no negative-length cycle (for now).

$d(v, k)$ : shortest walk length from  $s$  to  $v$  using at most  $k$  edges.

$$d(v, 0) = \infty \quad v \neq s$$


$$d(s, 0) = 0$$

# Hop-based Recursion: Bellman-Ford Algorithm

Single-source problem: fix source  $s$ .

Assume that all nodes can be reached by  $s$  in  $G$

Assume  $G$  has no negative-length cycle (for now).



$d(v, k)$ : shortest walk length from  $s$  to  $v$  using at most  $k$  edges.

Note:  $\text{dist}(s, v) = d(v, n - 1)$ .

$$d(v, 1) = ?$$

$d(v, 1) = \infty$  if no  $(s, v)$  edge  
otherwise

$$d(s, 1) = 0$$

~~$d(s, 1)$~~   $d(s, v)$ .

# Hop-based Recursion: Bellman-Ford Algorithm

Single-source problem: fix source  $s$ .

Assume that all nodes can be reached by  $s$  in  $G$

Assume  $G$  has no negative-length cycle (for now).

$d(v, k)$ : shortest walk length from  $s$  to  $v$  using at most  $k$  edges.

Note:  $dist(s, v) = d(v, n - 1)$ . Recursion for  $d(v, k)$ :

# Hop-based Recursion: Bellman-Ford Algorithm

Single-source problem: fix source  $s$ .

Assume that all nodes can be reached by  $s$  in  $G$

Assume  $G$  has no negative-length cycle (for now).


$d(v, k)$ : shortest walk length from  $s$  to  $v$  using at most  $k$  edges.

Note:  $dist(s, v) = d(v, n - 1)$ . Recursion for  $d(v, k)$ :

$$d(v, k) = \min \begin{cases} \min_{u \in V} (d(u, k - 1) + \ell(u, v)). \\ \underline{\underline{d(v, k - 1)}} \end{cases}$$


Base case:  $d(s, 0) = 0$  and  $d(v, 0) = \infty$  for all  $v \neq s$ .






$$d(v, k) = \min \begin{cases} d(u_1, k-1) + l(u_1, v) \\ d(u_2, k-1) + l(u_2, v) \\ d(u_3, k-1) + l(u_3, v) \\ d(v, k-1) \end{cases}$$

$$d(v, 1) = \min \begin{cases} \min_{u \in I_n(v)} d(u, 0) + l(u, v) \\ d(v, 0) \end{cases}$$



# Example



	s	a	b	c	d	e	f
k=0	0	$\infty$	$\infty$	$\infty$	$\infty$	$\infty$	$\infty$
k=1	0	6	4	3	$\infty$	$\infty$	$\infty$
k=2	0	6	2	3	4	$\infty$	9
k=3	0						

$$d(b,2) = \min \left\{ \begin{array}{l} d(b,1) \\ d(c,1) + l(c,b) \\ d(f,2) \end{array} \right.$$

$$d(c,1) + l(c,b) \quad d(f,2)$$



# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u, 0) \leftarrow \infty$ 
 $d(s, 0) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
         $d(v, k) \leftarrow d(v, k - 1)$ 
        for each edge  $(u, v) \in In(v)$  do
             $d(v, k) = \min\{d(v, k), d(u, k - 1) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $dist(s, v) \leftarrow d(v, n - 1)$ 
```

# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u, 0) \leftarrow \infty$ 
 $d(s, 0) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
         $d(v, k) \leftarrow d(v, k - 1)$ 
        for each edge  $(u, v) \in In(v)$  do
             $d(v, k) = \min\{d(v, k), d(u, k - 1) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $dist(s, v) \leftarrow d(v, n - 1)$ 
```

Running time:

# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u, 0) \leftarrow \infty$ 
 $d(s, 0) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
         $d(v, k) \leftarrow d(v, k - 1)$ 
        for each edge  $(u, v) \in In(v)$  do
             $d(v, k) = \min\{d(v, k), d(u, k - 1) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $\text{dist}(s, v) \leftarrow d(v, n - 1)$ 
```

Running time:  $O(mn)$

# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u, 0) \leftarrow \infty$ 
 $d(s, 0) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
         $d(v, k) \leftarrow d(v, k - 1)$ 
        for each edge  $(u, v) \in In(v)$  do
             $d(v, k) = \min\{d(v, k), d(u, k - 1) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $dist(s, v) \leftarrow d(v, n - 1)$ 
```

Running time:  $O(mn)$  Space:

# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u, 0) \leftarrow \infty$ 
 $d(s, 0) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
         $d(v, k) \leftarrow d(v, k - 1)$ 
        for each edge  $(u, v) \in In(v)$  do
             $d(v, k) = \min\{d(v, k), d(u, k - 1) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $dist(s, v) \leftarrow d(v, n - 1)$ 
```

Running time:  $O(mn)$  Space:  $O(m + n^2)$

# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u, 0) \leftarrow \infty$ 
 $d(s, 0) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
         $d(v, k) \leftarrow d(v, k - 1)$ 
        for each edge  $(u, v) \in In(v)$  do
             $d(v, k) = \min\{d(v, k), d(u, k - 1) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $dist(s, v) \leftarrow d(v, n - 1)$ 
```

Running time:  $O(mn)$  Space:  $O(m + n^2)$

Space can be reduced to  $O(m + n)$ .

# Bellman-Ford Algorithm

```
for each  $u \in V$  do
     $d(u) \leftarrow \infty$ 
 $d(s) \leftarrow 0$ 

for  $k = 1$  to  $n - 1$  do
    for each  $v \in V$  do
        for each edge  $(u, v) \in In(v)$  do
             $d(v) = \min\{d(v), d(u) + \ell(u, v)\}$ 

for each  $v \in V$  do
     $\text{dist}(s, v) \leftarrow d(v)$ 
```

Running time:  $O(mn)$  Space:  $O(m + n)$

**Exercise:** Argue that this achieves same results as algorithm on previous slide.

# Bellman-Ford: Negative Cycle Detection

Check if distances change in iteration  $n$ .

```
for each  $u \in V$  do
```

```
     $d(u) \leftarrow \infty$ 
```

```
 $d(s) \leftarrow 0$ 
```

```
for  $k = 1$  to  $n - 1$  do
```

```
    for each  $v \in V$  do
```

```
        for each edge  $(u, v) \in In(v)$  do
```

```
             $d(v) = \min\{d(v), d(u) + \ell(u, v)\}$ 
```

(\* One more iteration to check if distances change \*)

```
for each  $v \in V$  do
```

```
    for each edge  $(u, v) \in In(v)$  do
```

```
        if  $d(v) > d(u) + \ell(u, v)$ 
```

```
            Output ‘‘Negative Cycle’’
```

```
for each  $v \in V$  do
```

```
     $\text{dist}(s, v) \leftarrow d(v)$ 
```



# Correctness of the Bellman-Ford Algorithm

**Via induction:** For each  $v$ ,  $d(v, k)$  is the length of a shortest walk from  $s$  to  $v$  with *at most*  $k$  hops.

# Correctness of the Bellman-Ford Algorithm

**Via induction:** For each  $v$ ,  $d(v, k)$  is the length of a shortest walk from  $s$  to  $v$  with at most  $k$  hops.

## Lemma

Suppose  $G$  does not have a negative length cycle reachable from  $s$ . Then for all  $v$ ,  $\text{dist}(s, v) = d(v, n - 1)$ . Moreover,  $d(v, n - 1) = d(v, n)$ .

# Correctness of the Bellman-Ford Algorithm

**Via induction:** For each  $v$ ,  $d(v, k)$  is the length of a shortest walk from  $s$  to  $v$  with at most  $k$  hops.

## Lemma

Suppose  $G$  does not have a negative length cycle reachable from  $s$ . Then for all  $v$ ,  $\text{dist}(s, v) = d(v, n - 1)$ . Moreover,  $d(v, n - 1) = d(v, n)$ .

## Proof.

Consider a shortest  $s$ - $v$  walk. If it is a path then it has at most  $n - 1$  edges and we are done. If not it has a cycle and we can remove it (since cycle length is non-negative) from walk to obtain a shorter walk or a shortest walk with fewer edges.  $\square$

**Corollary:** Bellman-Ford correctly outputs the shortest path distances if  $G$  has no negative length cycle reachable from  $s$ .

# Correctness: detecting negative length cycle

## Lemma

*$G$  has a negative length cycle reachable from  $s$  if and only if there is some node  $v$  such that  $d(v, n) < d(v, n - 1)$ .*

Lemma proves correctness of negative cycle detection by Bellman-Ford algorithm.

The only if direction follows from Lemma on previous slide. We prove the if direction in the next slide.

# Correctness: detecting negative length cycle

## Lemma

Suppose  $G$  has a negative cycle  $C$  reachable from  $s$ . Then there is some node  $v \in C$  such that  $d(v, n) < d(v, n - 1)$ .

# Correctness: detecting negative length cycle

## Lemma

Suppose  $G$  has a negative cycle  $C$  reachable from  $s$ . Then there is some node  $v \in C$  such that  $d(v, n) < d(v, n - 1)$ .

## Proof.

Suppose not. Let  $C = v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_h \rightarrow v_1$  be negative length cycle reachable from  $s$ .  $d(v_i, n - 1)$  is finite for  $1 \leq i \leq h$  since  $C$  is reachable from  $s$ . By assumption  $d(v, n) \geq d(v, n - 1)$  for all  $v \in C$ ; implies no change in  $n$ 'th iteration;

$d(v_i, n - 1) = d(v_i, n)$  for  $1 \leq i \leq h$ . This means  $d(v_i, n - 1) \leq d(v_{i-1}, n - 1) + \ell(v_{i-1}, v_i)$  for  $2 \leq i \leq h$  and  $d(v_1, n - 1) \leq d(v_n, n - 1) + \ell(v_n, v_1)$ . Adding up all these inequalities results in the inequality  $0 \leq \ell(C)$  which contradicts the assumption that  $\ell(C) < 0$ . □

# Finding the Paths and a Shortest Path Tree

How do we find a shortest path tree in addition to distances?

- For each  $v$  the  $d(v)$  can only get smaller as algorithm proceeds.
- If  $d(v)$  becomes smaller it is because we found a vertex  $u$  such that  $d(v) > d(u) + \ell(u, v)$  and we update  $d(v) = d(u) + \ell(u, v)$ . That is, we found a shorter path to  $v$  through  $u$ .
- For each  $v$  have a  $prev(v)$  pointer and update it to point to  $u$  if  $v$  finds a shorter path via  $u$ .
- At end of algorithm  $prev(v)$  pointers give a shortest path tree oriented towards the source  $s$ .

# Negative Cycle Detection

## Negative Cycle Detection

Given directed graph  $G$  with arbitrary edge lengths, does it have a negative length cycle?

**Exercise:** How will you actually find a negative length cycle if it exists?



# Negative Cycle Detection

## Negative Cycle Detection

Given directed graph  $G$  with arbitrary edge lengths, does it have a negative length cycle?

**Exercise:** How will you actually find a negative length cycle if it exists?

- 1 Bellman-Ford checks whether there is a negative cycle  $C$  that is reachable from a specific vertex  $s$ . There may negative cycles not reachable from  $s$ .
- 2 Run Bellman-Ford  $|V|$  times, once from each node  $u$ ?

# Negative Cycle Detection

- 1 Add a new node  $s'$  and connect it to all nodes of  $G$  with zero length edges. Bellman-Ford from  $s'$  will find a negative length cycle if there is one. **Exercise:** why does this work?
- 2 Negative cycle detection can be done with one Bellman-Ford invocation.

## Part II

# Shortest Paths in DAGs

# Shortest Paths in a DAG

## Single-Source Shortest Path Problems

**Input** A directed **acyclic** graph  $G = (V, E)$  with arbitrary (including negative) edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.

# Shortest Paths in a DAG

## Single-Source Shortest Path Problems

**Input** A directed **acyclic** graph  $G = (V, E)$  with arbitrary (including negative) edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.

## Simplification of algorithms for DAGs

- 1 No cycles and hence no negative length cycles! Hence can find shortest paths even for negative length edges
- 2 Can order nodes using topological sort

# Algorithm for DAGs

- 1 Want to find shortest paths from  $s$ . Ignore nodes not reachable from  $s$ .
- 2 Let  $s = v_1, v_2, v_{i+1}, \dots, v_n$  be a topological sort of  $G$

# Algorithm for DAGs

- 1 Want to find shortest paths from  $s$ . Ignore nodes not reachable from  $s$ .
- 2 Let  $s = v_1, v_2, v_{i+1}, \dots, v_n$  be a topological sort of  $G$

## Observation:

- 1 shortest path from  $s$  to  $v_i$  cannot use any node from  $v_{i+1}, \dots, v_n$
- 2 can find shortest paths in topological sort order.

# Algorithm for DAGs

Assumption:  $s$  is first in the topological sort

```
for  $i = 1$  to  $n$  do
     $d(s, v_i) = \infty$ 
 $d(s, s) = 0$ 

for  $i = 1$  to  $n - 1$  do
    for each edge  $(v_i, v_j)$  in  $\text{Adj}(v_i)$  do
         $d(s, v_j) = \min\{d(s, v_j), d(s, v_i) + \ell(v_i, v_j)\}$ 

return  $d(s, \cdot)$  values computed
```

**Correctness:** induction on  $i$  and observation in previous slide.

**Running time:**  $O(m + n)$  time algorithm! Works for negative edge lengths and hence can find *longest* paths in a DAG.



# Algorithm for DAGs, a variant

Assumption:  $s$  is first in the topological sort


```
for  $i = 1$  to  $n$  do
     $d(s, v_i) = \infty$ 
 $d(s, s) = 0$ 

for  $i = 2$  to  $n - 1$  do
    for each edge  $(v_j, v_i)$  in  $In(v_i)$  do
         $d(s, v_i) = \min\{d(s, v_i), d(s, v_j) + \ell(v_j, v_i)\}$ 

return  $d(s, \cdot)$  values computed
```

When visiting  $v_i$  scan incoming edges to find shortest path to  $i$ .  
Previous algorithm scanned all edges in  $Adj(v_i)$  after processing  $v_i$ .  
Can see algorithms are same.

# Algorithm for DAGs: Example



Want distances from **a** say. Consider topological sort:  
**a, b, c, e, g, d, f, h**

# Bellman-Ford and DAGs

Bellman-Ford is based on the following principles:

- The shortest walk length from  $s$  to  $v$  with at most  $k$  hops can be computed via dynamic programming
- $G$  has a negative length cycle reachable from  $s$  iff there is a node  $v$  such that shortest walk length reduces after  $n$  hops.

We can find hop-constrained shortest paths via graph reduction.






Given  $G = (V, E)$  with edge lengths  $\ell(e)$  and integer  $k$  construction new layered graph  $G' = (V', E')$  as follows.

- $V' = V \times \{0, 1, 2, \dots, k\}$ .
- $E' = \{((u, i), (v, i + 1)) \mid (u, v) \in E, 0 \leq i < k\}$ ,  
 $\ell((u, i), (v, i + 1)) = \ell(u, v)$

## Lemma

*Shortest path distance from  $(u, 0)$  to  $(v, k)$  in  $G'$  is equal to the shortest walk from  $u$  to  $v$  in  $G$  with exactly  $k$  edges.*

# Layered DAG: Figure



## Part III

# All Pairs Shortest Paths

# Shortest Path Problems

## Shortest Path Problems

**Input** A (undirected or directed) graph  $G = (V, E)$  with edge lengths (or costs). For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.
- 3 Find shortest paths for *all* pairs of nodes.

# Single-Source Shortest Paths

## Single-Source Shortest Path Problems

**Input** A (undirected or directed) graph  $G = (V, E)$  with edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.

# Single-Source Shortest Paths

## Single-Source Shortest Path Problems

**Input** A (undirected or directed) graph  $G = (V, E)$  with edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Given nodes  $s, t$  find shortest path from  $s$  to  $t$ .
- 2 Given node  $s$  find shortest path from  $s$  to all other nodes.

**Dijkstra's algorithm** for non-negative edge lengths. Running time:  $O((m + n) \log n)$  with heaps and  $O(m + n \log n)$  with advanced priority queues.

**Bellman-Ford algorithm** for arbitrary edge lengths. Running time:  $O(nm)$ .



# All-Pairs Shortest Paths

## All-Pairs Shortest Path Problem

**Input** A (undirected or directed) graph  $G = (V, E)$  with edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Find shortest paths for all pairs of nodes.

# All-Pairs Shortest Paths

## All-Pairs Shortest Path Problem

**Input** A (undirected or directed) graph  $G = (V, E)$  with edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Find shortest paths for all pairs of nodes.

Apply single-source algorithms  $n$  times, once for each vertex.

- 1 Non-negative lengths.  $O(nm \log n)$  with heaps and  $O(nm + n^2 \log n)$  using advanced priority queues.
- 2 Arbitrary edge lengths:  $O(n^2 m)$ .  
 $\Theta(n^4)$  if  $m = \Omega(n^2)$ .

# All-Pairs Shortest Paths

## All-Pairs Shortest Path Problem

**Input** A (undirected or directed) graph  $G = (V, E)$  with edge lengths. For edge  $e = (u, v)$ ,  $\ell(e) = \ell(u, v)$  is its length.

- 1 Find shortest paths for all pairs of nodes.


Apply single-source algorithms  $n$  times, once for each vertex.

- 1 Non-negative lengths.  $O(nm \log n)$  with heaps and  $O(nm + n^2 \log n)$  using advanced priority queues.
- 2 Arbitrary edge lengths:  $O(n^2 m)$ .  
 $\Theta(n^4)$  if  $m = \Omega(n^2)$ .

Can we do better?

# All-Pairs: Recursion on index of intermediate nodes

- 1 Number vertices arbitrarily as  $v_1, v_2, \dots, v_n$
- 2  $dist(i, j, k)$ : length of shortest walk from  $v_i$  to  $v_j$  among all walks in which the largest index of an *intermediate node* is at most  $k$  (could be  $-\infty$  if there is a negative length cycle).



$$dist(i, j, 0) =$$


$$dist(i, j, 1) =$$

$$dist(i, j, 2) =$$

$$dist(i, j, 3) =$$

# All-Pairs: Recursion on index of intermediate nodes

- 1 Number vertices arbitrarily as  $v_1, v_2, \dots, v_n$
- 2  $dist(i, j, k)$ : length of shortest walk from  $v_i$  to  $v_j$  among all walks in which the largest index of an *intermediate node* is at most  $k$  (could be  $-\infty$  if there is a negative length cycle).



$$dist(i, j, 0) = 100$$


$$dist(i, j, 1) =$$

$$dist(i, j, 2) =$$

$$dist(i, j, 3) =$$

# All-Pairs: Recursion on index of intermediate nodes

- 1 Number vertices arbitrarily as  $v_1, v_2, \dots, v_n$
- 2  $dist(i, j, k)$ : length of shortest walk from  $v_i$  to  $v_j$  among all walks in which the largest index of an *intermediate node* is at most  $k$  (could be  $-\infty$  if there is a negative length cycle).



$$dist(i, j, 0) = 100$$


$$dist(i, j, 1) = 9$$

$$dist(i, j, 2) =$$

$$dist(i, j, 3) =$$

# All-Pairs: Recursion on index of intermediate nodes

- 1 Number vertices arbitrarily as  $v_1, v_2, \dots, v_n$
- 2  $dist(i, j, k)$ : length of shortest walk from  $v_i$  to  $v_j$  among all walks in which the largest index of an *intermediate node* is at most  $k$  (could be  $-\infty$  if there is a negative length cycle).



$$dist(i, j, 0) = 100$$


$$dist(i, j, 1) = 9$$

$$dist(i, j, 2) = 8$$

$$dist(i, j, 3) =$$

# All-Pairs: Recursion on index of intermediate nodes

- 1 Number vertices arbitrarily as  $v_1, v_2, \dots, v_n$
- 2  $dist(i, j, k)$ : length of shortest walk from  $v_i$  to  $v_j$  among all walks in which the largest index of an *intermediate node* is at most  $k$  (could be  $-\infty$  if there is a negative length cycle).



$$dist(i, j, 0) = 100$$


$$dist(i, j, 1) = 9$$

$$dist(i, j, 2) = 8$$

$$dist(i, j, 3) = 5$$




For the following graph,  $\text{dist}(i, j, 2)$  is...



- 9
- 10
- 11
- 12
- 15

# All-Pairs: Recursion on index of intermediate nodes



$$\text{dist}(i, j, k) = \min \begin{cases} \text{dist}(i, j, k - 1) \\ \text{dist}(i, k, k - 1) + \text{dist}(k, j, k - 1) \end{cases}$$

Base case:  $\text{dist}(i, j, 0) = \ell(i, j)$  if  $(i, j) \in E$ , otherwise  $\infty$

**Correctness:** If  $i \rightarrow j$  shortest walk goes through  $k$  then  $k$  occurs only once on the path — otherwise there is a negative length cycle.

# All-Pairs: Recursion on index of intermediate nodes

If  $i$  can reach  $k$  and  $k$  can reach  $j$  and  $\text{dist}(k, k, k - 1) < 0$  then  $G$  has a negative length cycle containing  $k$  and  $\text{dist}(i, j, k) = -\infty$ .

Recursion below is valid only if  $\text{dist}(k, k, k - 1) \geq 0$ . We can detect this during the algorithm or wait till the end.

$$\text{dist}(i, j, k) = \min \begin{cases} \text{dist}(i, j, k - 1) \\ \text{dist}(i, k, k - 1) + \text{dist}(k, j, k - 1) \end{cases}$$

# Floyd-Warshall Algorithm

## for All-Pairs Shortest Paths

```
for  $i = 1$  to  $n$  do
  for  $j = 1$  to  $n$  do
     $dist(i, j, 0) = \ell(i, j)$  (*  $\ell(i, j) = \infty$  if  $(i, j) \notin E$ , 0 if  $i = j$  *)

for  $k = 1$  to  $n$  do
  for  $i = 1$  to  $n$  do
    for  $j = 1$  to  $n$  do
       $dist(i, j, k) = \min \begin{cases} dist(i, j, k - 1), \\ dist(i, k, k - 1) + dist(k, j, k - 1) \end{cases}$ 

for  $i = 1$  to  $n$  do
  if ( $dist(i, i, n) < 0$ ) then
    Output that there is a negative length cycle in  $G$ 
```

# Floyd-Warshall Algorithm

## for All-Pairs Shortest Paths

```
for  $i = 1$  to  $n$  do
  for  $j = 1$  to  $n$  do
     $dist(i, j, 0) = \ell(i, j)$  (*  $\ell(i, j) = \infty$  if  $(i, j) \notin E$ , 0 if  $i = j$  *)

for  $k = 1$  to  $n$  do
  for  $i = 1$  to  $n$  do
    for  $j = 1$  to  $n$  do
       $dist(i, j, k) = \min \begin{cases} dist(i, j, k - 1), \\ dist(i, k, k - 1) + dist(k, j, k - 1) \end{cases}$ 

for  $i = 1$  to  $n$  do
  if ( $dist(i, i, n) < 0$ ) then
    Output that there is a negative length cycle in  $G$ 
```

Running Time:

# Floyd-Warshall Algorithm

## for All-Pairs Shortest Paths

```
for  $i = 1$  to  $n$  do
  for  $j = 1$  to  $n$  do
     $dist(i, j, 0) = \ell(i, j)$  (*  $\ell(i, j) = \infty$  if  $(i, j) \notin E$ , 0 if  $i = j$  *)

for  $k = 1$  to  $n$  do
  for  $i = 1$  to  $n$  do
    for  $j = 1$  to  $n$  do
       $dist(i, j, k) = \min \begin{cases} dist(i, j, k - 1), \\ dist(i, k, k - 1) + dist(k, j, k - 1) \end{cases}$ 

for  $i = 1$  to  $n$  do
  if ( $dist(i, i, n) < 0$ ) then
    Output that there is a negative length cycle in  $G$ 
```

Running Time:  $\Theta(n^3)$ , Space:  $\Theta(n^3)$ .

# Floyd-Warshall Algorithm

## for All-Pairs Shortest Paths

```
for  $i = 1$  to  $n$  do
  for  $j = 1$  to  $n$  do
     $dist(i, j, 0) = \ell(i, j)$  (*  $\ell(i, j) = \infty$  if  $(i, j) \notin E$ , 0 if  $i = j$  *)

for  $k = 1$  to  $n$  do
  for  $i = 1$  to  $n$  do
    for  $j = 1$  to  $n$  do
       $dist(i, j, k) = \min \begin{cases} dist(i, j, k - 1), \\ dist(i, k, k - 1) + dist(k, j, k - 1) \end{cases}$ 

for  $i = 1$  to  $n$  do
  if ( $dist(i, i, n) < 0$ ) then
    Output that there is a negative length cycle in  $G$ 
```

Running Time:  $\Theta(n^3)$ , Space:  $\Theta(n^3)$ .

Correctness: via induction and recursive definition

# Floyd-Warshall Algorithm: Finding the Paths

**Question:** Can we find the paths in addition to the distances?



# Floyd-Warshall Algorithm: Finding the Paths

**Question:** Can we find the paths in addition to the distances?

- 1 Create a  $n \times n$  array **Next** that stores the next vertex on shortest path for each pair of vertices
- 2 With array **Next**, for any pair of given vertices  $i, j$  can compute a shortest path in  $O(n)$  time.

# Floyd-Warshall Algorithm

## Finding the Paths

```
for  $i = 1$  to  $n$  do
  for  $j = 1$  to  $n$  do
     $dist(i, j, 0) = \ell(i, j)$ 
    (*  $\ell(i, j) = \infty$  if  $(i, j)$  not edge,  $0$  if  $i = j$  *)
     $Next(i, j) = -1$ 
  for  $k = 1$  to  $n$  do
    for  $i = 1$  to  $n$  do
      for  $j = 1$  to  $n$  do
        if ( $dist(i, j, k - 1) > dist(i, k, k - 1) + dist(k, j, k - 1)$ ) then
           $dist(i, j, k) = dist(i, k, k - 1) + dist(k, j, k - 1)$ 
           $Next(i, j) = k$ 
    for  $i = 1$  to  $n$  do
      if ( $dist(i, i, n) < 0$ ) then
        Output that there is a negative length cycle in  $G$ 
```

**Exercise:** Given  $Next$  array and any two vertices  $i, j$  describe an  $O(n)$  algorithm to find a  $i-j$  shortest path.

# Summary of results on shortest paths

Single source		
No negative edges	Dijkstra	$O(n \log n + m)$
Edge lengths can be negative	Bellman Ford	$O(nm)$

## All Pairs Shortest Paths

No negative edges	$n$ * Dijkstra	$O(n^2 \log n + nm)$
No negative cycles	$n$ * Bellman Ford	$O(n^2 m) = O(n^4)$
No negative cycles	BF + $n$ * Dijkstra	$O(nm + n^2 \log n)$
No negative cycles	Floyd-Warshall	$O(n^3)$
Unweighted	Matrix multiplication	$O(n^{2.38}), O(n^{2.58})$

# Dynamic Programming: Postscript

Dynamic Programming = Smart Recursion + Memoization

# Dynamic Programming: Postscript

Dynamic Programming = Smart Recursion + Memoization

- 1 How to come up with the recursion?
- 2 How to recognize that dynamic programming may apply?

# Some Tips

- 1 Problems where there is a *natural* linear ordering: sequences, paths, intervals, **DAGs** etc. Recursion based on ordering (left to right or right to left or topological sort) usually works.
- 2 Problems involving trees: recursion based on subtrees.
- 3 More generally:
  - 1 Problem admits a natural recursive divide and conquer
  - 2 If optimal solution for whole problem can be simply composed from optimal solution for each separate pieces then plain divide and conquer works directly
  - 3 If optimal solution depends on all pieces then can apply dynamic programming if *interface/interaction* between pieces is *limited*. Augment recursion to not simply find an optimum solution but also an optimum solution for each possible way to interact with the other pieces.

# Examples

- 1 Longest Increasing Subsequence: break sequence in the middle say. What is the interaction between the two pieces in a solution?
- 2 Sequence Alignment: break both sequences in two pieces each. What is the interaction between the two sets of pieces?
- 3 Independent Set in a Tree: break tree at root into subtrees. What is the interaction between the subtrees?
- 4 Independent Set in an graph: break graph into two graphs. What is the interaction? Very high!
- 5 Knapsack: Split items into two sets of half each. What is the interaction?