Programming Languages and Compilers (CS 421)

Elsa L Gunter 2112 SC, UIUC

http://courses.engr.illinois.edu/cs421

Based in part on slides by Mattox Beckman, as updated by Vikram Adve and Gul Agha



We can also add in some new singleton elements

Disjoint Union Types

type id = DriversLicense of int | SocialSecurity of int | Name of string;; type id = DriversLicense of int | SocialSecurity of int | Name of string # let check id id = match id with DriversLicense num -> not (List.mem num [13570; 99999]) SocialSecurity num -> num < 900000000 Name str -> not (str = "John Doe");; val check id : id -> bool = <fun>



The type 'a option is gives us something to represent non-existence or failure

type 'a option = Some of 'a | None;;
type 'a option = Some of 'a | None

Used to encode partial functions
 Often can replace the raising of an exception

Functions producing option

let rec first p list =
 match list with [] -> None
 | (x::xs) -> if p x then Some x else first p xs;;
val first : ('a -> bool) -> 'a list -> 'a option = <fun>
first (fun x -> x > 3) [1;3;4;2;5];;
- : int option = Some 4

- # first (fun x -> x > 5) [1;3;4;2;5];;
- : int option = None

Functions over option

- # let result_ok r =
 - match r with None -> false

Some _ -> true;;

- val result_ok : 'a option -> bool = <fun>
- # result_ok (first (fun x -> x > 3) [1;3;4;2;5]);;
- : bool = true
- # result_ok (first (fun x -> x > 5) [1;3;4;2;5]);;
- -: bool = false

Folding over Variants

let optionFold someFun noneVal opt =
 match opt with None -> noneVal
 | Some x -> someFun x;;
val optionFold : ('a -> 'b) -> 'b -> 'a option ->
 'b = <fun>
let optionMap f opt =
 optionFold (fun x -> Some (f x)) None opt;;
val optionMap : ('a -> 'b) -> 'a option -> 'b

option = <fun>



The type being defined may be a component of itself



Mapping over Variants

let optionMap f opt = match opt with None -> None Some $x \rightarrow$ Some (f x);; val optionMap : (a -> b) -> a option -> boption = <fun> # optionMap (fun x -> x - 2)(first (fun x -> x > 3) [1;3;4;2;5]);;- : int option = Some 2

Recursive Data Types

type int_Bin_Tree =

Leaf of int | Node of (int_Bin_Tree *
 int_Bin_Tree);;

type int_Bin_Tree = Leaf of int | Node of (int_Bin_Tree * int_Bin_Tree)

Recursive Data Type Values

let bin_tree =

Node(Node(Leaf 3, Leaf 6),Leaf (-7));;

val bin_tree : int_Bin_Tree = Node (Node (Leaf 3, Leaf 6), Leaf (-7))





Recursive Functions

let rec first_leaf_value tree =
 match tree with (Leaf n) -> n
 | Node (left_tree, right_tree) ->
 first_leaf_value left_tree;;
val first_leaf_value : int_Bin_Tree -> int =
 <fun>

let left = first_leaf_value bin_tree;;
val left : int = 3

Mapping over Recursive Types

let rec ibtreeMap f tree = match tree with (Leaf n) \rightarrow Leaf (f n) | Node (left_tree, right_tree) -> Node (ibtreeMap f left tree, ibtreeMap f right_tree);; val ibtreeMap : (int -> int) -> int_Bin_Tree -> int Bin Tree = <fun>

Mapping over Recursive Types

ibtreeMap ((+) 2) bin_tree;;

- : int_Bin_Tree = Node (Node (Leaf 5, Leaf 8), Leaf (-5))

Folding over Recursive Types

let rec ibtreeFoldRight leafFun nodeFun tree = match tree with Leaf $n \rightarrow \text{leafFun}$ Node (left_tree, right_tree) -> nodeFun (ibtreeFoldRight leafFun nodeFun left tree) (ibtreeFoldRight leafFun nodeFun right tree);; val ibtreeFoldRight : (int -> 'a) -> ('a -> 'a -> 'a) ->int_Bin Tree -> 'a = <fun>

Folding over Recursive Types

let tree_sum =

ibtreeFoldRight (fun x -> x) (+);;

val tree_sum : int_Bin_Tree -> int = <fun>

- # tree_sum bin_tree;;
- : int = 2

Mutually Recursive Types

type 'a tree = TreeLeaf of 'a | TreeNode of 'a treeList and 'a treeList = Last of 'a tree | More of ('a tree * 'a treeList);; type 'a tree = TreeLeaf of 'a | TreeNode of 'a treeList and 'a treeList = Last of 'a tree | More of ('a tree * 'a treeList)

Mutually Recursive Types - Values

let tree =

TreeNode (More (TreeLeaf 5, (More (TreeNode (More (TreeLeaf 3, Last (TreeLeaf 2))), Last (TreeLeaf 7)))));;

Mutually Recursive Types - Values

val tree : int tree =
TreeNode
(More
(TreeLeaf 5,
More
(TreeNode (More (TreeLeaf 3, Last
(TreeLeaf 2))), Last (TreeLeaf 7))))

Mutually Recursive Types - Values





Mutually Recursive Functions

let rec fringe tree =
 match tree with (TreeLeaf x) -> [x]
 (TreeNode list) -> list_fringe list
and list_fringe tree_list =
 match tree_list with (Last tree) -> fringe tree
 (More (tree,list)) ->
 (fringe tree) @ (list_fringe list);;

val fringe : 'a tree -> 'a list = <fun>
val list_fringe : 'a treeList -> 'a list = <fun>

Mutually Recursive Functions

fringe tree;;

- : int list = [5; 3; 2; 7]

Nested Recursive Types

type 'a labeled_tree =
 TreeNode of ('a * 'a labeled_tree
 list);;
type 'a labeled_tree = TreeNode of ('a
 * 'a labeled_tree list)

Nested Recursive Type Values

let ltree =

TreeNode(5,
 [TreeNode (3, []);
 TreeNode (2, [TreeNode (1, []);
 TreeNode (7, [])]);
 TreeNode (5, [])]);;

Nested Recursive Type Values

val ltree : int labeled_tree =

TreeNode

(5, [TreeNode (3, []); TreeNode (2, [TreeNode (1, []); TreeNode (7, [])]); TreeNode (5, [])])



Nested Recursive Type Values



Mutually Recursive Functions

let rec flatten tree labtree = match labtree with TreeNode (x,treelist) -> x::flatten tree list treelist and flatten tree list treelist = match treelist with [] -> []| labtree::labtrees -> flatten tree labtree @ flatten tree list labtrees;;

Mutually Recursive Functions

val flatten_tree : 'a labeled_tree -> 'a list = <fun>

val flatten_tree_list : 'a labeled_tree list -> 'a list = <fun>

- # flatten_tree ltree;;
- : int list = [5; 3; 2; 1; 7; 5]

Nested recursive types lead to mutually recursive functions

Infinite Recursive Values

```
\# let rec ones = 1::ones;;
val ones : int list =
 [1; 1; 1; 1; ...]
# match ones with x::_ -> x;;
Characters 0-25:
Warning: this pattern-matching is not exhaustive.
Here is an example of a value that is not matched:
 match ones with x:: -> x;;
```

```
^^^^
```

```
-: int = 1
```

Infinite Recursive Values

let rec lab tree = TreeNode(2, tree list) and tree list = [lab tree; lab tree];; val lab tree : int labeled tree = TreeNode (2, [TreeNode(...); TreeNode(...)]) val tree list : int labeled tree list = [TreeNode (2, [TreeNode(...); TreeNode(...)]); TreeNode (2, [TreeNode(...); TreeNode(...)])]

Infinite Recursive Values

match lab_tree with TreeNode (x, _) -> x;;

-: int = 2

Records

- Records serve the same programming purpose as tuples
- Provide better documentation, more readable code
- Allow components to be accessed by label instead of position
 - Labels (aka *field names* must be unique)
 - Fields accessed by suffix dot notation

Record Types

 Record types must be declared before they can be used in OCaml

type person = {name : string; ss : (int * int * int); age : int};;

type person = { name : string; ss : int * int *
 int; age : int; }

person is the type being introduced

name, ss and age are the labels, or fields

Record Values

- Records built with labels; order does not matter
- # let teacher = {name = "Elsa L. Gunter";
 age = 102; ss = (119,73,6244)};;
- val teacher : person =
 {name = "Elsa L. Gunter"; ss = (119, 73,
 6244); age = 102}

Record Pattern Matching

let {name = elsa; age = age; ss = (_,_,s3)} = teacher;;

- val elsa : string = "Elsa L. Gunter"
- val age : int = 102
- val s3 : int = 6244



let soc_sec = teacher.ss;; val soc_sec : int * int * int = (119, 73, 6244)

Record Values

- # let student = {ss=(325,40,1276); name="Joseph Martins"; age=22};; val student : person = {name = "Joseph Martins"; ss = (325, 40, 1276); age = 22} # student = teacher;;
- -: bool = false

New Records from Old

- # let birthday person = {person with age =
 person.age + 1};;
- val birthday : person -> person = <fun>
- # birthday teacher;;
- : person = {name = "Elsa L. Gunter"; ss = (119, 73, 6244); age = 103}

New Records from Old

let new_id name soc_sec person =

{person with name = name; ss = soc_sec};;
val new_id : string -> int * int * int -> person
 -> person = <fun>

- # new_id "Guieseppe Martin" (523,04,6712)
 student;;
- : person = {name = "Guieseppe Martin"; ss = (523, 4, 6712); age = 22}