

DFS in Directed Graphs, Strong Connected Components, and DAGs

Lecture 2

January 19, 2013

Strong Connected Components (SCCs)


Algorithmic Problem

Find all **SCCs** of a given directed graph.


Previous lecture:

Saw an $O(n \cdot (n + m))$ time algorithm.


This lecture: $O(n + m)$ time algorithm.



Graph of SCCs



Graph G



Meta-graph of SCCs

Let S_1, S_2, \dots, S_k be the strong connected components (i.e., SCCs) of G . The graph of SCCs is G^{SCC}

- 1 Vertices are S_1, S_2, \dots, S_k
- 2 There is an edge (S_i, S_j) if there is some $u \in S_i$ and $v \in S_j$ such that (u, v) is an edge in G .

Reversal and SCCs


Proposition

For any graph G , the graph of SCCs of G^{rev} is the same as the reversal of G^{SCC} .

Proof.

Exercise. □

MUTTS by Patrick McDonnell | 08/04/11



SCCs and DAGs

Proposition

For any graph G , the graph G^{SCC} has no directed cycle.

Proof.

If G^{SCC} has a cycle $\mathbf{S}_1, \mathbf{S}_2, \dots, \mathbf{S}_k$ then $\mathbf{S}_1 \cup \mathbf{S}_2 \cup \dots \cup \mathbf{S}_k$ should be in the same **SCC** in G . Formal details: exercise. \square


Part I

Directed Acyclic Graphs


Directed Acyclic Graphs

Definition

A directed graph G is a **directed acyclic graph (DAG)** if there is no directed cycle in G .



Sources and Sinks



Definition

- 1 A vertex u is a **source** if it has no in-coming edges.
- 2 A vertex u is a **sink** if it has no out-going edges.

Simple DAG Properties

- 1 Every DAG G has at least one source and at least one sink.
- 2 If G is a DAG if and only if G^{rev} is a DAG.
- 3 G is a DAG if and only if each node is in its own strong connected component.


Formal proofs: exercise.

Simple DAG Properties

- 1 Every DAG G has at least one source and at least one sink.
- 2 If G is a DAG if and only if G^{rev} is a DAG.
- 3 G is a DAG if and only if each node is in its own strong connected component.

Formal proofs: exercise.

Topological Ordering/Sorting



Graph G



Topological Ordering of G

Definition

A **topological ordering/topological sorting** of $G = (V, E)$ is an ordering \prec on V such that if $(u, v) \in E$ then $u \prec v$.

Informal equivalent definition:

One can order the vertices of the graph along a line (say the x -axis) such that all edges are from left to right.

DAGs and Topological Sort

Lemma

A directed graph G can be topologically ordered iff it is a **DAG**.

Proof.

\implies : Suppose G is not a **DAG** and has a topological ordering \prec . G has a cycle $\mathbf{C} = \mathbf{u}_1, \mathbf{u}_2, \dots, \mathbf{u}_k, \mathbf{u}_1$.

Then $\mathbf{u}_1 \prec \mathbf{u}_2 \prec \dots \prec \mathbf{u}_k \prec \mathbf{u}_1$!

That is... $\mathbf{u}_1 \prec \mathbf{u}_1$.

A contradiction (to \prec being an order).

Not possible to topologically order the vertices. □

DAGs and Topological Sort

Lemma

A directed graph G can be topologically ordered iff it is a DAG.

Continued.


⇐: Consider the following algorithm:

- 1 Pick a source u , output it.
- 2 Remove u and all edges out of u .
- 3 Repeat until graph is empty.
- 4 Exercise: prove this gives an ordering.




Exercise: show above algorithm can be implemented in $O(m + n)$ time.

Topological Sort: An Example




Output: 1 2 3 4

Topological Sort: An Example




Output: 1 2 3 4

Topological Sort: An Example




Output: 1 2 3 4

Topological Sort: An Example




Output: 1 2 3 4

Topological Sort: An Example



Output: 1 2 3 4

Topological Sort: Another Example



DAGs and Topological Sort

Note: A DAG G may have many different topological sorts.

Question: What is a DAG with the most number of distinct topological sorts for a given number n of vertices?

Question: What is a DAG with the least number of distinct topological sorts for a given number n of vertices?

Using DFS...

... to check for Acyclicity and compute Topological Ordering

Question

Given G , is it a **DAG**? If it is, generate a topological sort.

DFS based algorithm:

- 1 Compute **DFS**(G)
- 2 If there is a back edge then G is not a **DAG**.
- 3 Otherwise output nodes in decreasing post-visit order.

Correctness relies on the following:

Proposition

G is a **DAG** iff there is no back-edge in **DFS**(G).

Proposition

If G is a **DAG** and $\text{post}(v) > \text{post}(u)$, then (u, v) is not in G .

Using DFS...

... to check for Acyclicity and compute Topological Ordering

Question

Given G , is it a **DAG**? If it is, generate a topological sort.

DFS based algorithm:

- 1 Compute **DFS**(G)
- 2 If there is a back edge then G is not a **DAG**.
- 3 Otherwise output nodes in decreasing post-visit order.

Correctness relies on the following:

Proposition

G is a **DAG** iff there is no back-edge in **DFS**(G).

Proposition

If G is a **DAG** and $\text{post}(v) > \text{post}(u)$, then (u, v) is not in G .

Proposition

If G is a DAG and $\text{post}(v) > \text{post}(u)$, then (u, v) is not in G .


Proof.

Assume $\text{post}(v) > \text{post}(u)$ and (u, v) is an edge in G . We derive a contradiction. One of two cases holds from DFS property.

- **Case 1:** $[\text{pre}(u), \text{post}(u)]$ is contained in $[\text{pre}(v), \text{post}(v)]$.
Implies that u is explored during $\text{DFS}(v)$ and hence is a descendent of v . Edge (u, v) implies a cycle in G but G is assumed to be DAG!
- **Case 2:** $[\text{pre}(u), \text{post}(u)]$ is disjoint from $[\text{pre}(v), \text{post}(v)]$.
This cannot happen since v would be explored from u .



Example



Back edge and Cycles

Proposition

G has a cycle iff there is a back-edge in $\text{DFS}(G)$.

Proof.

If: (u, v) is a back edge implies there is a cycle C consisting of the path from v to u in DFS search tree and the edge (u, v) .

Only if: Suppose there is a cycle $C = v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k \rightarrow v_1$.
Let v_i be first node in C visited in DFS .

All other nodes in C are descendants of v_i since they are reachable from v_i .

Therefore, (v_{i-1}, v_i) (or (v_k, v_1) if $i = 1$) is a back edge. \square

Back edge and Cycles

Proposition

G has a cycle iff there is a back-edge in **DFS**(G).

Proof.

If: (u, v) is a back edge implies there is a cycle C consisting of the path from v to u in **DFS** search tree and the edge (u, v) .

Only if: Suppose there is a cycle $C = v_1 \rightarrow v_2 \rightarrow \dots \rightarrow v_k \rightarrow v_1$.
Let v_i be first node in C visited in **DFS**.

All other nodes in C are descendants of v_i since they are reachable from v_i .

Therefore, (v_{i-1}, v_i) (or (v_k, v_1) if $i = 1$) is a back edge. □

Topological sorting of a DAG

Input: DAG G . With n vertices and m edges.

$O(n + m)$ algorithms for topological sorting

- (A) Put source s of G as first in the order, remove s , and repeat. (Implementation not trivial.)
- (B) Do **DFS** of G .
Compute post numbers.
Sort vertices by decreasing post number.

Topological sorting of a DAG

Input: DAG G . With n vertices and m edges.

$O(n + m)$ algorithms for topological sorting

- (A) Put source s of G as first in the order, remove s , and repeat. (Implementation not trivial.)
- (B) Do **DFS** of G .
Compute post numbers.
Sort vertices by decreasing post number.

Question

How to avoid sorting?

Topological sorting of a DAG

Input: DAG G . With n vertices and m edges.

$O(n + m)$ algorithms for topological sorting

- (A) Put source s of G as first in the order, remove s , and repeat. (Implementation not trivial.)
- (B) Do **DFS** of G .
Compute post numbers.
Sort vertices by decreasing post number.

Question

How to avoid sorting?

No need to sort - post numbering algorithm can output vertices...

DAGs and Partial Orders

Definition

A **partially ordered set** is a set S along with a binary relation \preceq such that \preceq is

- 1 **reflexive** ($a \preceq a$ for all $a \in V$),
- 2 **anti-symmetric** ($a \preceq b$ and $a \neq b$ implies $b \not\preceq a$), and
- 3 **transitive** ($a \preceq b$ and $b \preceq c$ implies $a \preceq c$).

Example: For numbers in the plane define $(x, y) \preceq (x', y')$ iff $x \leq x'$ and $y \leq y'$.

Observation: A *finite* partially ordered set is equivalent to a **DAG**.
(No equal elements.)

Observation: A topological sort of a **DAG** corresponds to a complete (or total) ordering of the underlying partial order.

DAGs and Partial Orders

Definition

A **partially ordered set** is a set S along with a binary relation \preceq such that \preceq is

- 1 **reflexive** ($a \preceq a$ for all $a \in V$),
- 2 **anti-symmetric** ($a \preceq b$ and $a \neq b$ implies $b \not\preceq a$), and
- 3 **transitive** ($a \preceq b$ and $b \preceq c$ implies $a \preceq c$).

Example: For numbers in the plane define $(x, y) \preceq (x', y')$ iff $x \leq x'$ and $y \leq y'$.

Observation: A *finite* partially ordered set is equivalent to a DAG. (No equal elements.)

Observation: A topological sort of a DAG corresponds to a complete (or total) ordering of the underlying partial order.

DAGs and Partial Orders

Definition

A **partially ordered set** is a set S along with a binary relation \preceq such that \preceq is

- 1 **reflexive** ($a \preceq a$ for all $a \in V$),
- 2 **anti-symmetric** ($a \preceq b$ and $a \neq b$ implies $b \not\preceq a$), and
- 3 **transitive** ($a \preceq b$ and $b \preceq c$ implies $a \preceq c$).

Example: For numbers in the plane define $(x, y) \preceq (x', y')$ iff $x \leq x'$ and $y \leq y'$.

Observation: A *finite* partially ordered set is equivalent to a **DAG**.
(No equal elements.)

Observation: A topological sort of a **DAG** corresponds to a complete (or total) ordering of the underlying partial order.

What's DAG but a sweet old fashioned notion

Who needs a DAG...

Example

- 1 **V**: set of **n** products (say, **n** different types of tablets).
- 2 Want to buy one of them, so you do market research...
- 3 Online reviews compare only pairs of them.
...Not everything compared to everything.
- 4 Given this partial information:
 - 1 Decide what is the best product.
 - 2 Decide what is the ordering of products from best to worst.
 - 3 ...

What DAGs got to do with it?

Or why we should care about DAGs

- ① **DAGs** enable us to represent partial ordering information we have about some set (very common situation in the real world).
- ② Questions about **DAGs**:
 - ① Is a graph G a **DAG**?
 \iff
Is the partial ordering information we have so far is consistent?
 - ② Compute a topological ordering of a **DAG**.
 \iff
Find an a consistent ordering that agrees with our partial information.
 - ③ Find comparisons to do so **DAG** has a unique topological sort.
 \iff
Which elements to compare so that we have a consistent ordering of the items.

Part II

Linear time algorithm for finding all strong connected components of a directed graph

Finding all SCCs of a Directed Graph

Problem

Given a directed graph $\mathbf{G} = (\mathbf{V}, \mathbf{E})$, output *all* its strong connected components.

Straightforward algorithm:

```
Mark all vertices in  $\mathbf{V}$  as not visited.  
for each vertex  $\mathbf{u} \in \mathbf{V}$  not visited yet do  
    find  $\text{SCC}(\mathbf{G}, \mathbf{u})$  the strong component of  $\mathbf{u}$ :  
        Compute  $\text{rch}(\mathbf{G}, \mathbf{u})$  using  $\text{DFS}(\mathbf{G}, \mathbf{u})$   
        Compute  $\text{rch}(\mathbf{G}^{\text{rev}}, \mathbf{u})$  using  $\text{DFS}(\mathbf{G}^{\text{rev}}, \mathbf{u})$   
         $\text{SCC}(\mathbf{G}, \mathbf{u}) \leftarrow \text{rch}(\mathbf{G}, \mathbf{u}) \cap \text{rch}(\mathbf{G}^{\text{rev}}, \mathbf{u})$   
         $\forall \mathbf{u} \in \text{SCC}(\mathbf{G}, \mathbf{u})$ : Mark  $\mathbf{u}$  as visited.
```

Running time: $\mathbf{O}(n(n + m))$

Is there an $\mathbf{O}(n + m)$ time algorithm?

Finding all SCCs of a Directed Graph

Problem

Given a directed graph $G = (V, E)$, output *all* its strong connected components.

Straightforward algorithm:

```
Mark all vertices in  $V$  as not visited.  
for each vertex  $u \in V$  not visited yet do  
    find  $\text{SCC}(G, u)$  the strong component of  $u$ :  
        Compute  $\text{rch}(G, u)$  using  $\text{DFS}(G, u)$   
        Compute  $\text{rch}(G^{\text{rev}}, u)$  using  $\text{DFS}(G^{\text{rev}}, u)$   
         $\text{SCC}(G, u) \leftarrow \text{rch}(G, u) \cap \text{rch}(G^{\text{rev}}, u)$   
         $\forall u \in \text{SCC}(G, u)$ : Mark  $u$  as visited.
```

Running time: $O(n(n + m))$

Is there an $O(n + m)$ time algorithm?

Finding all SCCs of a Directed Graph

Problem

Given a directed graph $G = (V, E)$, output *all* its strong connected components.


Straightforward algorithm:

```
Mark all vertices in  $V$  as not visited.  
for each vertex  $u \in V$  not visited yet do  
    find  $\text{SCC}(G, u)$  the strong component of  $u$ :  
        Compute  $\text{rch}(G, u)$  using  $\text{DFS}(G, u)$   
        Compute  $\text{rch}(G^{\text{rev}}, u)$  using  $\text{DFS}(G^{\text{rev}}, u)$   
         $\text{SCC}(G, u) \leftarrow \text{rch}(G, u) \cap \text{rch}(G^{\text{rev}}, u)$   
         $\forall u \in \text{SCC}(G, u)$ : Mark  $u$  as visited.
```


Running time: $O(n(n + m))$

Is there an $O(n + m)$ time algorithm?

Structure of a Directed Graph



Graph G



Graph of SCCs G^{SCC}

Reminder

G^{SCC} is created by collapsing every strong connected component to a single vertex.

Proposition

For a directed graph G , its meta-graph G^{SCC} is a DAG.

Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

Wishful Thinking Algorithm

- 1 Let u be a vertex in a *sink* SCC of G^{SCC}
- 2 Do **DFS**(u) to compute **SCC**(u)
- 3 Remove **SCC**(u) and repeat

Justification

- 1 **DFS**(u) only visits vertices (and edges) in **SCC**(u)
- 2
- 3
- 4

Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

Wishful Thinking Algorithm

- 1 Let u be a vertex in a *sink* SCC of G^{SCC}
- 2 Do **DFS**(u) to compute **SCC**(u)
- 3 Remove **SCC**(u) and repeat

Justification

- 1 **DFS**(u) only visits vertices (and edges) in **SCC**(u)
- 2
- 3
- 4

Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

Wishful Thinking Algorithm

- 1 Let u be a vertex in a *sink* SCC of G^{SCC}
- 2 Do **DFS**(u) to compute **SCC**(u)
- 3 Remove **SCC**(u) and repeat

Justification

- 1 **DFS**(u) only visits vertices (and edges) in **SCC**(u)
- 2 ... since there are no edges coming out a sink!
- 3
- 4

Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

Wishful Thinking Algorithm

- 1 Let u be a vertex in a *sink* SCC of G^{SCC}
- 2 Do **DFS**(u) to compute **SCC**(u)
- 3 Remove **SCC**(u) and repeat

Justification

- 1 **DFS**(u) only visits vertices (and edges) in **SCC**(u)
- 2 ... since there are no edges coming out a sink!
- 3 **DFS**(u) takes time proportional to size of **SCC**(u)
- 4

Linear-time Algorithm for SCCs: Ideas

Exploit structure of meta-graph...

Wishful Thinking Algorithm

- 1 Let u be a vertex in a *sink* SCC of G^{SCC}
- 2 Do **DFS**(u) to compute **SCC**(u)
- 3 Remove **SCC**(u) and repeat

Justification

- 1 **DFS**(u) only visits vertices (and edges) in **SCC**(u)
- 2 ... since there are no edges coming out a sink!
- 3 **DFS**(u) takes time proportional to size of **SCC**(u)
- 4 Therefore, total time **$O(n + m)$** !

Big Challenge(s)

How do we find a vertex in a sink **SCC** of G^{SCC} ?

Can we obtain an *implicit* topological sort of G^{SCC} without computing G^{SCC} ?

Answer: **DFS(G)** gives some information!

Big Challenge(s)

How do we find a vertex in a sink **SCC** of G^{SCC} ?

Can we obtain an *implicit* topological sort of G^{SCC} without computing G^{SCC} ?

Answer: **DFS(G)** gives some information!

Big Challenge(s)

How do we find a vertex in a sink **SCC** of G^{SCC} ?

Can we obtain an *implicit* topological sort of G^{SCC} without computing G^{SCC} ?


Answer: **DFS(G)** gives some information!

Post-visit times of SCCs


Definition

Given G and a **SCC** S of G , define $\text{post}(S) = \max_{u \in S} \text{post}(u)$ where **post** numbers are with respect to some **DFS**(G).

An Example



Graph G



Graph with pre-post times for **DFS(A)**; black edges in tree




Figure: G^{SCC} with post times

Graph of strong connected components

... and post-visit times

Proposition

If S and S' are SCCs in G and (S, S') is an edge in G^{SCC} then $\text{post}(S) > \text{post}(S')$.

Proof.

Let u be first vertex in $S \cup S'$ that is visited.

- 1 If $u \in S$ then all of S' will be explored before $\text{DFS}(u)$ completes.
- 2 If $u \in S'$ then all of S' will be explored before any of S .



A False Statement: If S and S' are SCCs in G and (S, S') is an edge in G^{SCC} then for every $u \in S$ and $u' \in S'$, $\text{post}(u) > \text{post}(u')$.

Graph of strong connected components

... and post-visit times

Proposition

If S and S' are SCCs in G and (S, S') is an edge in G^{SCC} then $\text{post}(S) > \text{post}(S')$.

Proof.

Let u be first vertex in $S \cup S'$ that is visited.

- 1 If $u \in S$ then all of S' will be explored before $\text{DFS}(u)$ completes.
- 2 If $u \in S'$ then all of S' will be explored before any of S .



A False Statement: If S and S' are SCCs in G and (S, S') is an edge in G^{SCC} then for every $u \in S$ and $u' \in S'$, $\text{post}(u) > \text{post}(u')$.

Topological ordering of the strong components

Corollary

Ordering **SCCs** in decreasing order of **post(S)** gives a topological ordering of G^{SCC}

Recall: for a **DAG**, ordering nodes in decreasing post-visit order gives a topological sort.

So...

DFS(G) gives some information on topological ordering of G^{SCC} !

Topological ordering of the strong components

Corollary

Ordering **SCCs** in decreasing order of **post(S)** gives a topological ordering of G^{SCC}

Recall: for a **DAG**, ordering nodes in decreasing post-visit order gives a topological sort.

So...

DFS(G) gives some information on topological ordering of G^{SCC} !

Finding Sources

Proposition

The vertex u with the highest post visit time belongs to a source SCC in G^{SCC}

Proof.

- 1 $\text{post}(\text{SCC}(u)) = \text{post}(u)$
- 2 Thus, $\text{post}(\text{SCC}(u))$ is highest and will be output first in topological ordering of G^{SCC} .



Finding Sources

Proposition

The vertex u with the highest post visit time belongs to a source SCC in G^{SCC}

Proof.

- 1 $\text{post}(\text{SCC}(u)) = \text{post}(u)$
- 2 Thus, $\text{post}(\text{SCC}(u))$ is highest and will be output first in topological ordering of G^{SCC} .



Finding Sinks

Proposition

The vertex u with highest post visit time in $\text{DFS}(G^{\text{rev}})$ belongs to a sink SCC of G .

Proof.

- 1 u belongs to source SCC of G^{rev}
- 2 Since graph of SCCs of G^{rev} is the reverse of G^{SCC} , $\text{SCC}(u)$ is sink SCC of G . \square

Finding Sinks

Proposition

The vertex u with highest post visit time in $\text{DFS}(G^{\text{rev}})$ belongs to a sink SCC of G .

Proof.

- 1 u belongs to source SCC of G^{rev}
- 2 Since graph of SCCs of G^{rev} is the reverse of G^{SCC} , $\text{SCC}(u)$ is sink SCC of G . \square

Linear Time Algorithm

...for computing the strong connected components in G


```
do DFS( $G^{\text{rev}}$ ) and sort vertices in decreasing post order.  
Mark all nodes as unvisited  
for each  $u$  in the computed order do  
  if  $u$  is not visited then  
    DFS( $u$ )  
    Let  $S_u$  be the nodes reached by  $u$   
    Output  $S_u$  as a strong connected component  
    Remove  $S_u$  from  $G$ 
```

Analysis


Running time is $O(n + m)$. (Exercise)

Linear Time Algorithm: An Example - Initial steps


Graph **G**:




Reverse graph **G^{rev}**:



DFS of reverse graph:




Pre/Post **DFS** numbering of reverse graph:




Linear Time Algorithm: An Example

Removing connected components: 1

Original graph G with rev post numbers:



Do **DFS** from vertex G
remove it.




SCC computed:
{G}

Linear Time Algorithm: An Example


Removing connected components: 2

Do **DFS** from vertex **G**
remove it.



SCC computed:
{**G**}

Do **DFS** from vertex **H**,
remove it.




SCC computed:
{**G**}, {**H**}


Linear Time Algorithm: An Example

Removing connected components: 3

Do **DFS** from vertex **H**,
remove it.



Do **DFS** from vertex **B**
Remove visited vertices:
{F, B, E}.




SCC computed:
{G}, {H}

SCC computed:
{G}, {H}, {F, B, E}

Linear Time Algorithm: An Example


Removing connected components: 4

Do **DFS** from vertex **F**
Remove visited vertices:
{F, B, E}.



SCC computed:
{G}, {H}, {F, B, E}


Do **DFS** from vertex **A**
Remove visited vertices:
{A, C, D}.



SCC computed:
{G}, {H}, {F, B, E}, {A, C, D}

Linear Time Algorithm: An Example

Final result



SCC computed:

{G}, {H}, {F, B, E}, {A, C, D}

Which is the correct answer!

Obtaining the meta-graph...

Once the strong connected components are computed.

Exercise:

Given all the strong connected components of a directed graph $G = (V, E)$ show that the meta-graph G^{SCC} can be obtained in $O(m + n)$ time.

Correctness: more details

- 1 let $\mathbf{S}_1, \mathbf{S}_2, \dots, \mathbf{S}_k$ be strong components in G
- 2 Strong components of \mathbf{G}^{rev} and G are same and meta-graph of G is reverse of meta-graph of \mathbf{G}^{rev} .
- 3 consider $\text{DFS}(\mathbf{G}^{\text{rev}})$ and let $\mathbf{u}_1, \mathbf{u}_2, \dots, \mathbf{u}_k$ be such that $\text{post}(\mathbf{u}_i) = \text{post}(\mathbf{S}_i) = \max_{v \in \mathbf{S}_i} \text{post}(v)$.
- 4 Assume without loss of generality that $\text{post}(\mathbf{u}_k) > \text{post}(\mathbf{u}_{k-1}) \geq \dots \geq \text{post}(\mathbf{u}_1)$ (renumber otherwise). Then $\mathbf{S}_k, \mathbf{S}_{k-1}, \dots, \mathbf{S}_1$ is a topological sort of meta-graph of \mathbf{G}^{rev} and hence $\mathbf{S}_1, \mathbf{S}_2, \dots, \mathbf{S}_k$ is a topological sort of the meta-graph of G .
- 5 \mathbf{u}_k has highest post number and $\text{DFS}(\mathbf{u}_k)$ will explore all of \mathbf{S}_k which is a sink component in G .
- 6 After \mathbf{S}_k is removed \mathbf{u}_{k-1} has highest post number and $\text{DFS}(\mathbf{u}_{k-1})$ will explore all of \mathbf{S}_{k-1} which is a sink component in remaining graph $G - \mathbf{S}_k$. Formal proof by induction.

Part III

An Application to make

make Utility [Feldman]


- 1 Unix utility for automatically building large software applications
- 2 A makefile specifies
 - 1 Object files to be created,
 - 2 Source/object files to be used in creation, and
 - 3 How to create them

An Example makefile

```
project: main.o utils.o command.o
    cc -o project main.o utils.o command.o

main.o: main.c defs.h
    cc -c main.c
utils.o: utils.c defs.h command.h
    cc -c utils.c
command.o: command.c defs.h command.h
    cc -c command.c
```

makefile as a Digraph



Computational Problems for `make`

- 1 Is the `makefile` reasonable?
- 2 If it is reasonable, in what order should the object files be created?
- 3 If it is not reasonable, provide helpful debugging information.
- 4 If some file is modified, find the fewest compilations needed to make application consistent.

Algorithms for make

- 1 Is the makefile reasonable? Is G a DAG?
- 2 If it is reasonable, in what order should the object files be created? Find a topological sort of a DAG.
- 3 If it is not reasonable, provide helpful debugging information. Output a cycle. More generally, output all strong connected components.
- 4 If some file is modified, find the fewest compilations needed to make application consistent.
 - 1 Find all vertices reachable (using DFS/BFS) from modified files in directed graph, and recompile them in proper order. Verify that one can find the files to recompile and the ordering in linear time.

Take away Points

- 1 Given a directed graph G , its **SCCs** and the associated acyclic meta-graph G^{SCC} give a structural decomposition of G that should be kept in mind.
- 2 There is a **DFS** based linear time algorithm to compute all the **SCCs** and the meta-graph. Properties of **DFS** crucial for the algorithm.
- 3 **DAGs** arise in many application and topological sort is a key property in algorithm design. Linear time algorithms to compute a topological sort (there can be many possible orderings so not unique).

Notes

Notes

Notes